



High-quality miniature circuit breakers for commercial and residential applications

- Contact position indicator red - green
- Rated currents up to 63 A
- Rated breaking capacity 10 kA according to IEC/EN 60898-1

MINIATURE CIRCUIT BREAKER (MCB) - SERIES -PLS6

ISC = 6KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
1	PLS6-C6/1-AS	6A, 1P, 6kA, MCB, (C-Curve)	500.00
2	PLS6-C10/1-AS	10A, 1P, 6kA, MCB, (C-Curve)	500.00
3	PLS6-C16/1-AS	16A, 1P, 6kA, MCB, (C-Curve)	500.00
4	PLS6-C20/1-AS	20A, 1P, 6kA, MCB, (C-Curve)	500.00
5	PLS6-C25/1-AS	25A, 1P, 6kA, MCB, (C-Curve)	500.00
6	PLS6-C32/1-AS	32A, 1P, 6kA, MCB, (C-Curve)	500.00
7	PLS6-C40/1-AS	40A, 1P, 6kA, MCB, (C-Curve)	500.00
8	PLS6-C50/1-AS	50A, 1P, 6kA, MCB, (C-Curve)	1,150.00
9	PLS6-C63/1-AS	63A, 1P, 6kA, MCB, (C-Curve)	1,150.00

ISC = 6KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
10	PLS6-C6/2-AS	6A, 2P, 6kA, MCB, (C-Curve)	1,375.00
11	PLS6-C10/2-AS	10A, 2P, 6kA, MCB, (C-Curve)	1,375.00
12	PLS6-C16/2-AS	16A, 2P, 6kA, MCB, (C-Curve)	1,375.00
13	PLS6-C20/2-AS	20A, 2P, 6kA, MCB, (C-Curve)	1,375.00
14	PLS6-C25/2-AS	25A, 2P, 6kA, MCB, (C-Curve)	1,375.00
15	PLS6-C32/2-AS	32A, 2P, 6kA, MCB, (C-Curve)	1,375.00
16	PLS6-C40/2-AS	40A, 2P, 6kA, MCB, (C-Curve)	1,375.00
17	PLS6-C50/2-AS	50A, 2P, 6kA, MCB, (C-Curve)	2,715.00
18	PLS6-C63/2-AS	63A, 2P, 6kA, MCB, (C-Curve)	2,715.00

ISC = 6KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
19	PLS6-C6/3-AS	6A, 3P, 6kA, MCB, (C-Curve)	2,600.00
20	PLS6-C10/3-AS	10A, 3P, 6kA, MCB, (C-Curve)	2,600.00
21	PLS6-C16/3-AS	16A, 3P, 6kA, MCB, (C-Curve)	2,600.00
22	PLS6-C20/3-AS	20A, 3P, 6kA, MCB, (C-Curve)	2,600.00
23	PLS6-C25/3-AS	25A, 3P, 6kA, MCB, (C-Curve)	2,600.00
24	PLS6-C32/3-AS	32A, 3P, 6kA, MCB, (C-Curve)	2,600.00
25	PLS6-C40/3-AS	40A, 3P, 6kA, MCB, (C-Curve)	2,600.00
26	PLS6-C50/3-AS	50A, 3P, 6kA, MCB, (C-Curve)	3,650.00
27	PLS6-C63/3-AS	63A, 3P, 6kA, MCB, (C-Curve)	3,650.00

ISC = 6KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
28	PLS6-C6/4-AS	6A, 4P, 6kA, MCB, (C-Curve)	3,060.00
29	PLS6-C10/4-AS	10A, 4P, 6kA, MCB, (C-Curve)	3,060.00
30	PLS6-C16/4-AS	16A, 4P, 6kA, MCB, (C-Curve)	3,060.00
31	PLS6-C20/4-AS	20A, 4P, 6kA, MCB, (C-Curve)	3,060.00
32	PLS6-C25/4-AS	25A, 4P, 6kA, MCB, (C-Curve)	3,060.00
33	PLS6-C32/4-AS	32A, 4P, 6kA, MCB, (C-Curve)	3,060.00
34	PLS6-C40/4-AS	40A, 4P, 6kA, MCB, (C-Curve)	3,060.00
35	PLS6-C50/4-AS	50A, 4P, 6kA, MCB, (C-Curve)	6,300.00
36	PLS6-C63/4-AS	63A, 4P, 6kA, MCB, (C-Curve)	6,300.00

High-quality miniature circuit breakers for commercial and residential applications

- Contact position indicator red - green
- Rated currents up to 63 A
- Rated breaking capacity 10 kA according to IEC/EN 60898-1

MINIATURE CIRCUIT BREAKER (MCB) - SERIES -PLSM

ISC = 10KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
37	PLSM-C6/1-AS	6A, 1P, 10kA, MCB, (C-Curve)	615.00
38	PLSM-C10/1-AS	10A, 1P, 10kA, MCB, (C-Curve)	615.00
39	PLSM-C16/1-AS	16A, 1P, 10kA, MCB, (C-Curve)	615.00
40	PLSM-C20/1-AS	20A, 1P, 10kA, MCB, (C-Curve)	615.00
41	PLSM-C25/1-AS	25A, 1P, 10kA, MCB, (C-Curve)	615.00
42	PLSM-C32/1-AS	32A, 1P, 10kA, MCB, (C-Curve)	615.00
43	PLSM-C40/1-AS	40A, 1P, 10kA, MCB, (C-Curve)	615.00
44	PLSM-C50/1-AS	50A, 1P, 10kA, MCB, (C-Curve)	1,210.00
45	PLSM-C63/1-AS	63A, 1P, 10kA, MCB, (C-Curve)	1,210.00

ISC = 10KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
46	PLSM-C6/2-AS	6A, 2P, 10kA, MCB, (C-Curve)	1,650.00
47	PLSM-C10/2-AS	10A, 2P, 10kA, MCB, (C-Curve)	1,650.00
48	PLSM-C16/2-AS	16A, 2P, 10kA, MCB, (C-Curve)	1,650.00
49	PLSM-C20/2-AS	20A, 2P, 10kA, MCB, (C-Curve)	1,650.00
50	PLSM-C25/2-AS	25A, 2P, 10kA, MCB, (C-Curve)	1,650.00
51	PLSM-C32/2-AS	32A, 2P, 10kA, MCB, (C-Curve)	1,650.00
52	PLSM-C40/2-AS	40A, 2P, 10kA, MCB, (C-Curve)	1,650.00
53	PLSM-C50/2-AS	50A, 2P, 10kA, MCB, (C-Curve)	3,250.00
54	PLSM-C63/2-AS	63A, 2P, 10kA, MCB, (C-Curve)	3,250.00

ISC = 10KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
55	PLSM-C6/3-AS	6A, 3P, 10kA, MCB, (C-Curve)	2,750.00
56	PLSM-C10/3-AS	10A, 3P, 10kA, MCB, (C-Curve)	2,750.00
57	PLSM-C16/3-AS	16A, 3P, 10kA, MCB, (C-Curve)	2,750.00
58	PLSM-C20/3-AS	20A, 3P, 10kA, MCB, (C-Curve)	2,750.00
59	PLSM-C25/3-AS	25A, 3P, 10kA, MCB, (C-Curve)	2,750.00
60	PLSM-C32/3-AS	32A, 3P, 10kA, MCB, (C-Curve)	2,750.00
61	PLSM-C40/3-AS	40A, 3P, 10kA, MCB, (C-Curve)	2,750.00
62	PLSM-C50/3-AS	50A, 3P, 10kA, MCB, (C-Curve)	4,410.00
63	PLSM-C63/3-AS	63A, 3P, 10kA, MCB, (C-Curve)	4,410.00


ISC = 10KA





SL	PART NUMBER	ITEM DESCRIPTION	PRICE
64	PLSM-C6/4-AS	6A, 4P, 10kA, MCB, (C-Curve)	3,400.00
65	PLSM-C10/4-AS	10A, 4P, 10kA, MCB, (C-Curve)	3,400.00
66	PLSM-C16/4-AS	16A, 4P, 10kA, MCB, (C-Curve)	3,400.00
67	PLSM-C20/4-AS	20A, 4P, 10kA, MCB, (C-Curve)	3,400.00
68	PLSM-C25/4-AS	25A, 4P, 10kA, MCB, (C-Curve)	3,400.00
69	PLSM-C32/4-AS	32A, 4P, 10kA, MCB, (C-Curve)	3,400.00
70	PLSM-C40/4-AS	40A, 4P, 10kA, MCB, (C-Curve)	3,400.00
71	PLSM-C50/4-AS	50A, 4P, 10kA, MCB, (C-Curve)	6,580.00
72	PLSM-C63/4-AS	63A, 4P, 10kA, MCB, (C-Curve)	6,580.00


- High-quality miniature circuit breakers for industrial applications and residential applications
- Contact position indicator red - green
- Rated currents up to 63 A
- Rated breaking capacity up to 15 kA according to IEC/EN 60947-2

MINIATURE CIRCUIT BREAKER (MCB) - SERIES -FAZ







ISC = 15KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	73	FAZ-C6/1	6A, 1P, 15kA, MCB, (C-Curve)	600.00
	74	FAZ-C10/1	10A, 1P, 15kA, MCB, (C-Curve)	600.00
	75	FAZ-C16/1	16A, 1P, 15kA, MCB, (C-Curve)	600.00
	76	FAZ-C20/1	20A, 1P, 15kA, MCB, (C-Curve)	600.00
	77	FAZ-C25/1	25A, 1P, 15kA, MCB, (C-Curve)	600.00
	78	FAZ-C32/1	32A, 1P, 15kA, MCB, (C-Curve)	600.00
	79	FAZ-C40/1	40A, 1P, 15kA, MCB, (C-Curve)	1,600.00
	80	FAZ-C50/1	50A, 1P, 15kA, MCB, (C-Curve)	1,600.00
	81	FAZ-C63/1	63A, 1P, 15kA, MCB, (C-Curve)	1,600.00

ISC = 15KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	82	FAZ-C6/2	6A, 2P, 15kA, MCB, (C-Curve)	1,300.00
	83	FAZ-C10/2	10A, 2P, 15kA, MCB, (C-Curve)	1,300.00
	84	FAZ-C16/2	16A, 2P, 15kA, MCB, (C-Curve)	1,300.00
	85	FAZ-C20/2	20A, 2P, 15kA, MCB, (C-Curve)	1,300.00
	86	FAZ-C25/2	25A, 2P, 15kA, MCB, (C-Curve)	1,300.00
	87	FAZ-C32/2	32A, 2P, 15kA, MCB, (C-Curve)	1,300.00
	88	FAZ-C40/2	40A, 2P, 15kA, MCB, (C-Curve)	2,300.00
	89	FAZ-C50/2	50A, 2P, 15kA, MCB, (C-Curve)	2,300.00
	90	FAZ-C63/2	63A, 2P, 15kA, MCB, (C-Curve)	2,300.00

ISC = 15KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	91	FAZ-C6/3	6A, 3P, 15kA, MCB, (C-Curve)	2,100.00
	92	FAZ-C10/3	10A, 3P, 15kA, MCB, (C-Curve)	2,100.00
	93	FAZ-C16/3	16A, 3P, 15kA, MCB, (C-Curve)	2,100.00
	94	FAZ-C20/3	20A, 3P, 15kA, MCB, (C-Curve)	2,100.00
	95	FAZ-C25/3	25A, 3P, 15kA, MCB, (C-Curve)	2,100.00
	96	FAZ-C32/3	32A, 3P, 15kA, MCB, (C-Curve)	2,100.00
	97	FAZ-C40/3	40A, 3P, 15kA, MCB, (C-Curve)	3,700.00
	98	FAZ-C50/3	50A, 3P, 15kA, MCB, (C-Curve)	3,700.00
	99	FAZ-C63/3	63A, 3P, 15kA, MCB, (C-Curve)	3,700.00


ISC = 15KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	100	FAZ-C6/4	6A, 4P, 15kA, MCB, (C-Curve)	4,000.00
	101	FAZ-C10/4	10A, 4P, 15kA, MCB, (C-Curve)	4,000.00
	102	FAZ-C16/4	16A, 4P, 15kA, MCB, (C-Curve)	4,000.00
	103	FAZ-C20/4	20A, 4P, 15kA, MCB, (C-Curve)	4,000.00
	104	FAZ-C25/4	25A, 4P, 15kA, MCB, (C-Curve)	4,000.00
	105	FAZ-C32/4	32A, 4P, 15kA, MCB, (C-Curve)	4,000.00
	106	FAZ-C40/4	40A, 4P, 15kA, MCB, (C-Curve)	5,000.00
	107	FAZ-C50/4	50A, 4P, 15kA, MCB, (C-Curve)	5,000.00
	108	FAZ-C63/4	63A, 4P, 15kA, MCB, (C-Curve)	5,000.00

MCB ACCESSORIES - SERIES - PLS6, PLSM & FAZ

ISC = 15KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	109	EVG-16/1PHAS/6MODUL	Comb busbar, 1P, 6 module, 100A	450.00
	110	EVG-16/1PHAS/12MODUL	Comb busbar, 1P, 12 module, 100A	800.00
	111	EVG-16/3PHAS/6MODUL	Comb busbar, 3P, 6 module, 100A	650.00
	112	EVG-16/3PHAS/12MODUL	Comb busbar, 3P, 12 module, 100A	1,050.00
	113	FAZ-XK25	Incoming terminal	375.00
	114	ZV-BS-G	Protective Cover	350.00

Circuit-breaker series LZM1 to LZM4
 Reliably and safely controlling, switching and managing power, in industry, in buildings.
 Enabled by innovative protection concepts.
 Main switch characteristics to IEC/EN 60204

MOULDED CASE CIRCUIT BREAKER (MCCB) - SERIES - LZM

ISC = 25KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	115	LZMB1-A20	20A, 3P, 25KA, MCCB (Adjustable type)	8,800.00
	116	LZMB1-A25	25A, 3P, 25KA, MCCB (Adjustable type)	8,800.00
	117	LZMB1-A32	32A, 3P, 25KA, MCCB (Adjustable type)	8,800.00
	118	LZMB1-A40	40A, 3P, 25KA, MCCB (Adjustable type)	8,800.00
	119	LZMB1-A50	50A, 3P, 25KA, MCCB (Adjustable type)	8,800.00
	120	LZMB1-A63	63A, 3P, 25KA, MCCB (Adjustable type)	8,800.00
	121	LZMB1-A80	80A, 3P, 25KA, MCCB (Adjustable type)	8,800.00
	122	LZMB1-A100	100A, 3P, 25KA, MCCB (Adjustable type)	8,800.00
	123	LZMB1-A125	125A, 3P, 25KA, MCCB (Adjustable type)	11,500.00
	124	LZMB1-A160	160A, 3P, 25KA, MCCB (Adjustable type)	13,700.00
	125	LZMB2-A200	200A, 3P, 25KA, MCCB (Adjustable type)	15,600.00
	126	LZMB2-A250	250A, 3P, 25KA, MCCB (Adjustable type)	17,950.00
	127	LZMB2-A300	300A, 3P, 25KA, MCCB (Adjustable type)	25,910.00

ISC = 36KA

SL	PART NUMBER	ITEM DESCRIPTION	PRICE
128	LZMC1-A40	40A, 3P, 36KA, MCCB (Adjustable type)	11,150.00
129	LZMC1-A63	63A, 3P, 36KA, MCCB (Adjustable type)	11,150.00
130	LZMC1-A80	80A, 3P, 36KA, MCCB (Adjustable type)	11,150.00
131	LZMC1-A100	100A, 3P, 36KA, MCCB (Adjustable type)	11,150.00
132	LZMC1-A125	125A, 3P, 36KA, MCCB (Adjustable type)	13,520.00
133	LZMC1-A160	160A, 3P, 36KA, MCCB (Adjustable type)	15,275.00
134	LZMC2-A200	200A, 3P, 36KA, MCCB (Adjustable type)	18,000.00
135	LZMC2-A250	250A, 3P, 36KA, MCCB (Adjustable type)	20,000.00
136	LZMC2-A300	300A, 3P, 36KA, MCCB (Adjustable type)	25,000.00
137	LZMC3-A400	400A, 3P, 36KA, MCCB (Adjustable type)	33,500.00
138	LZMC3-A500	500A, 3P, 36KA, MCCB (Adjustable type)	46,000.00

ISC = 50KA

SL	PART NUMBER	ITEM DESCRIPTION	PRICE
139	LZMN3-A400	400A, 3P, 50KA, MCCB (Adjustable type)	36,155.00
140	LZMN3-A500	500A, 3P, 50KA, MCCB (Adjustable type)	56,240.00
141	LZMN3-AE630	630A, 3P, 50KA, MCCB (Adjustable type)	59,000.00
142	LZMN4-AE800	800A, 3P, 50KA, MCCB (Adjustable type)	96,410.00
143	LZMN4-AE1000	1000A, 3P, 50KA, MCCB (Adjustable type)	117,000.00
144	LZMN4-AE1250	1250A, 3P, 50KA, MCCB (Adjustable type)	139,000.00
145	LZMN4-AE1600	1600A, 3P, 50KA, MCCB (Adjustable type)	215,000.00

BZM1 for up to 125 A, the BZM2 for up to 250 A and the BZM3 for up to 400 A. Three Advantages for Your Benefit Compact; Simple; Safe. In complying with the IEC/EN 60947-2

MOULDED CASE CIRCUIT BREAKER (MCCB) - SERIES - BZM

3P

SL	PART NUMBER	ITEM DESCRIPTION	PRICE
146	BZMB1-A20-BT-AP	20A, 3P, 25KA, MCCB (Fixed type)	5,900.00
147	BZMB1-A25-BT-AP	25A, 3P, 25KA, MCCB (Fixed type)	5,900.00
148	BZMB1-A32-BT-AP	32A, 3P, 25KA, MCCB (Fixed type)	5,900.00
149	BZMB1-A40-BT-AP	40A, 3P, 25KA, MCCB (Fixed type)	5,900.00
150	BZMB1-A50-BT-AP	50A, 3P, 25KA, MCCB (Fixed type)	5,900.00
151	BZMB1-A63-BT-AP	63A, 3P, 25KA, MCCB (Fixed type)	5,900.00
152	BZMB1-A80-BT-AP	80A, 3P, 25KA, MCCB (Fixed type)	5,900.00
153	BZMB1-A100-BT-AP	100A, 3P, 25KA, MCCB (Fixed type)	5,900.00
154	BZMB2-A125-AP	125A, 3P, 25KA, MCCB (Fixed type)	7,000.00
155	BZMB2-A160-AP	160A, 3P, 25KA, MCCB (Fixed type)	11,500.00
156	BZMB2-A200-AP	200A, 3P, 25KA, MCCB (Fixed type)	12,500.00
157	BZMB2-A250-AP	250A, 3P, 25KA, MCCB (Fixed type)	14,050.00

4P

SL	PART NUMBER	ITEM DESCRIPTION	PRICE
158	BZMB1-4-A63-BT-AP	63A, 4P, 25KA, MCCB (Fixed type)	11,950.00
159	BZMB1-4-A100-BT-AP	100A, 4P, 25KA, MCCB (Fixed type)	12,450.00

MCCB ACCESSORIES - SERIES - BZM





IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	160	BZM1-XKP	Phase barrier for BZMB1	90.00
	161	BZM2-XKP	Phase barrier for BZMB2	90.00
	162	BZM1-XKSK	Terminal cover for BZMB1	325.00
	163	M22-K10	Auxiliary contact (NO) for BZMB1 & BZMB2	325.00
	164	M22-K01	Auxiliary contact (NC) for BZMB1 & BZMB2	325.00









IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	165	BZM1-XU230-240VAC	Under voltage release for BZMB1; 240V AC	5,500.00
	166	BZM1-XU400-415VAC	Under voltage release for BZMB1; 415V AC	5,500.00
	167	BZM1-XU24VDC	Under voltage release for BZMB1; 24V DC	5,500.00
	168	BZM2-XU230-240VAC	Under voltage release for BZMB2; 240V AC	5,500.00
	169	BZM2-XU400-415VAC	Under voltage release for BZMB2; 415V AC	5,500.00
	170	BZM2-XU24VDC	Under voltage release for BZMB2; 24V DC	5,500.00
		171	BZM1-XU230-240AC/DC	Shunt trip release coil for BZMB1; 240 V AC/DC
172		BZM1-XA400-415VAC	Shunt trip release coil for BZMB1; 415 V AC	5,500.00
173		BZM1-XA24VDC	Shunt trip release coil for BZMB1; 24 V AC	5,500.00
174		BZM2-XA230-240VAC	Shunt trip release coil for BZMB2; 240 V AC/DC	5,500.00
175		BZM2-XA400-415VAC	Shunt trip release coil for BZMB2; 415 V AC	5,500.00
176		BZM2-XA24VDC	Shunt trip release coil for BZMB2; 24 V AC	5,500.00



IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	177	BZM1-XDV	Rotary handle for BZMB1	3,000.00
	178	BZM1-XTVD	Door rotary handle for BZMB1	3,000.00
	179	BZM1-XV4/BZM1-XV6	Extension axle for BZMB1	300.00

Continual operation requires high operational reliability in the components used. The DILM contactor achieves the best lifespan values in AC-3 applications and is ideal for heavy AC-4 jogging. Also suitable for motors with efficiency class IE3. In complying with the IEC/EN 60947, VDE 0660, UL, CSA

MAGNETIC CONTRACTOR (3P) - SERIES - DILM



IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	180	DILM7-10	3KW, 7A (AC3), 3P, 1NO + 0NC, 230V AC	1,550.00
	181	DILM9-10	4KW, 9A (AC3), 3P, 1NO + 0NC, 230V AC	1,700.00
	182	DILM12-10	5.5KW, 12A (AC3), 3P, 1NO + 0NC, 230V AC	2,100.00
	183	DILM17-10	7.5KW, 17A (AC3), 3P, 1NO + 0NC, 230V AC	2,750.00
	184	DILM25-10	11KW, 25A (AC3), 3P, 1NO + 0NC, 230V AC	3,750.00
	185	DILM32-10	15KW, 32A (AC3), 3P, 1NO + 0NC, 230V AC	5,450.00
	186	DILM40	18.5KW, 40A (AC3), 3P, 0NO + 0NC, 230V AC	6,250.00
	187	DILM50	22KW, 50A (AC3), 3P, 0NO + 0NC, 230V AC	8,550.00
	188	DILM65	30KW, 65A (AC3), 3P, 0NO + 0NC, 230V AC	11,850.00
	189	DILM80	37KW, 80A (AC3), 3P, 0NO + 0NC, 230V AC	13,700.00
	190	DILM95	45KW, 95A (AC3), 3P, 0NO + 0NC, 230V AC	17,400.00
	191	DILM115(RAC240)	55KW, 115A (AC3), 3P, 0NO + 0NC, 230V AC	23,450.00
	192	DILM150(RAC240)	75KW, 150A (AC3), 3P, 0NO + 0NC, 230V AC	28,750.00
	193	DILM185-S/22	90KW, 185A (AC3), 3P, 0NO + 0NC, 230V AC	50,100.00
	194	DILM225-S/22	110KW, 225A (AC3), 3P, 0NO + 0NC, 230V AC	55,650.00
	195	DILM250-S/22	132KW, 250A (AC3), 3P, 0NO + 0NC, 230V AC	77,650.00
	196	DILM300-S/22	160KW, 300A (AC3), 3P, 0NO + 0NC, 230V AC	93,700.00
	197	DILM400-S/22	200KW, 400A (AC3), 3P, 0NO + 0NC, 230V AC	120,850.00
	198	DILM500-S/22	250KW, 500A (AC3), 3P, 0NO + 0NC, 230V AC	168,950.00

AUXILIARY CONTACT FOR MC - SEIRES - DILM

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	199	DILM32-XHI11	1NO + 1NC, Auxiliary Contact Block; Range : DILM 7...32	425.00
	200	DILM150-XHI-11	1NO + 1NC, Auxiliary Contact Block; Range : DILM 40...150	450.00
	201	DILM1000-XHI11-SA	1NO + 1NC, Auxiliary Contact Block; Range : DILM 40...225	800.00
	202	DILM1000-XHI11-SI	1NO + 1NC, Auxiliary Contact Block; Range : DILM 40...225	800.00
	203	DILM32-XHI22	2NO + 2NC, Auxiliary Contact Block; Range : DILM 7...32	725.00
	204	DILM150-XHI-22	2NO + 2NC, Auxiliary Contact Block; Range : DILM 40...150	750.00




- Phase failure sensitivity to IEC/EN 60947, VDE 0660 Part 102
- Test/off pushbutton • Reset pushbutton manual/auto
- Trip-free release • Direct mounting

OVERLOAD RELAY FOR MC - SERIES - DILM



IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	205	ZB12-0.16	0.1...0.16A, Overload relay; Range: DILM7...DILM12	3,850.00
	206	ZB12-0.24	0.16...0.24A, Overload relay; Range: DILM7...DILM12	3,850.00
	207	ZB12-0.4	0.24...0.4A, Overload relay; Range: DILM7...DILM12	3,850.00
	208	ZB12-0.6	0.4...0.6A, Overload relay; Range: DILM7...DILM12	3,850.00
	209	ZB12-1.0	0.6...1A, Overload relay; Range: DILM7...DILM12	3,850.00
	210	ZB12-1.6	1...1.6A, Overload relay; Range: DILM7...DILM12	3,850.00
	211	ZB12-2.4	1.6...2.4A, Overload relay; Range: DILM7...DILM12	3,850.00
	212	ZB12-4	2.4...4A, Overload relay; Range: DILM7...DILM12	3,850.00
	213	ZB12-6	4...6A, Overload relay; Range: DILM7...DILM12	3,850.00
	214	ZB12-10	6...10A, Overload relay; Range: DILM7...DILM12	3,850.00
	215	ZB12-12	9...12A, Overload relay; Range: DILM7...DILM12	3,850.00
	216	ZB12-16	12...16A, Overload relay; Range: DILM7...DILM12	3,850.00
	217	ZB32-0.16	0.1...0.16A, Overload relay; Range: DILM17...DILM32	5,050.00
	218	ZB32-0.24	0.16...24A, Overload relay; Range: DILM17...DILM32	5,050.00
	219	ZB32-0.4	0.24...0.4A, Overload relay; Range: DILM17...DILM32	5,050.00
	220	ZB32-0.6	0.4...0.6A, Overload relay; Range: DILM17...DILM32	5,050.00
	221	ZB32-1.0	0.6...1A, Overload relay; Range: DILM17...DILM32	5,050.00
	222	ZB32-2.4	1.6...2.4A, Overload relay; Range: DILM17...DILM32	5,050.00
	223	ZB32-4	2.4...4A, Overload relay; Range: DILM17...DILM32	5,050.00
	224	ZB32-6	4...6A, Overload relay; Range: DILM17...DILM32	5,050.00
	225	ZB32-10	6...10A, Overload relay; Range: DILM17...DILM32	5,050.00
	226	ZB32-16	10...16A, Overload relay; Range: DILM17...DILM32	5,050.00
	227	ZB32-24	16...24A, Overload relay; Range: DILM17...DILM32	5,050.00
	228	ZB32-32	24...32A, Overload relay; Range: DILM17...DILM32	7,700.00
	229	ZB65-10	6...10A, Overload relay; Range: DILM40...DILM65	5,400.00
	230	ZB65-16	10...16A, Overload relay; Range: DILM40...DILM65	5,400.00
	231	ZB65-24	16...24A, Overload relay; Range: DILM40...DILM65	5,400.00
	232	ZB65-40	24...40A, Overload relay; Range: DILM40...DILM65	7,560.00
	233	ZB65-57	40...57A, Overload relay; Range: DILM40...DILM65	10,200.00
	234	ZB65-65	50...65A, Overload relay; Range: DILM40...DILM65	10,200.00
	235	ZB150-50	35...50A, Overload relay; Range: DILM250	10,200.00
	236	ZB150-70	50...70A, Overload relay; Range: DILM250	10,500.00
	237	ZB150-100	70...100A, Overload relay; Range: DILM250	13,200.00
	238	ZB150-125	95...125A, Overload relay; Range: DILM250	15,000.00
	239	ZB150-150	120...150A, Overload relay; Range: DILM250	16,200.00
		240	Z5-160/FF250	120...160A, Overload relay; Range: Universal
	241	Z5-220/FF250	160...220A, Overload relay; Range: Universal	20,900.00

The PKZ fuseless motor-protective circuit-breakers combine short-circuit and overload protection in one device, allowing fast restart readiness. UL Listed, CSA certified

MOTOR PROTECTION CIRCUIT BREAKER (MPCB) - SERIES - PKZM0 & PKZM4








IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	242	PKZM0-0.25	0.16...0.25A, 3P, 0.06 kW, MPCB	3,950.00
	243	PKZM0-0.4	0.25...0.4A, 3P, 0.09 kW, MPCB	3,950.00
	244	PKZM0-0.63	0.4...0.63A, 3P, 0.12 kW, MPCB	4,425.00
	245	PKZM0-1	0.63...1A, 3P, 0.25 kW, MPCB	4,700.00
	246	PKZM0-1.6	1...1.6A, 3P, 0.55 kW, MPCB	5,125.00
	247	PKZM0-2.5	1.6...2.5A, 3P, 0.75 kW, MPCB	5,125.00
	248	PKZM0-4	2.5...4A, 3P, 1.5 kW, MPCB	5,125.00
	249	PKZM0-6.3	4...6.3A, 3P, 2.2 kW, MPCB	5,125.00
	250	PKZM0-10	6.3...10A, 3P, 4 kW, MPCB	5,975.00
	251	PKZM0-12	8...12A, 3P, 5.5 kW, MPCB	5,975.00
	252	PKZM0-16	10...16A, 3P, 7.5 kW, MPCB	5,975.00
	253	PKZM0-20	16...20A, 3P, 9 kW, MPCB	6,425.00
	254	PKZM0-25	20...25A, 3P, 12.5 kW, MPCB	7,625.00
	255	PKZM0-32	25...32A, 3P, 15 kW, MPCB	9,850.00
	256	PKZM4-16	10...16A, 3P, 7.5 kW, MPCB	12,200.00
	257	PKZM4-25	16...25A, 3P, 12.5 kW, MPCB	12,575.00
	258	PKZM4-32	25...32A, 3P, 15 kW, MPCB	15,050.00
	259	PKZM4-40	32...40A, 3P, 20 kW, MPCB	15,750.00
	260	PKZM4-50	40...50A, 3P, 25 kW, MPCB	17,850.00
	261	PKZM4-58	50...58A, 3P, 30 kW, MPCB	18,375.00
	262	PKZM4-63	55...65A, 3P, 34 kW, MPCB	18,750.00

MPCB ACCESSORIES - SERIES - PKZM0 & PKZM4







IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	263	AGM2-10-PKZ0	2NO+0NC, Signal contact; Range: PKZM0 & PKZM4	1,545.00
	264	NHI11-PKZ0	1NO+1NC, Auxiliary Contact Block; Range: PKZM0 & PKZM4	850.00

The Advantage 3 range of three phase distribution boards normally come with vertical busbar construction, split and non-split, and available in a variety of outgoing ways. It is designed to accept a wide variety of incoming devices. All boards comply with the requirements of BS EN 60439-3.








DISTRIBUTION BOARD - SERIES - MEMGUARD - SURFACE MOUNT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	265	41ECBPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 4 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 486 x 400 x 109 mm	18,700.00
	266	61ECBPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 6 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 540 x 400 x 109 mm	21,600.00
	267	81ECBPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 8 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 594 x 400 x 109 mm	24,800.00
	268	101ECBPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 10 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 648 x 400 x 109 mm	28,500.00
	269	121ECBPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 12 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 702 x 400 x 109 mm	30,200.00
	270	141ECBPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 14 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 756 x 400 x 109 mm	34,200.00
	271	161ECBPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 16 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 810 x 400 x 109 mm	35,900.00







DISTRIBUTION BOARD - SERIES - MEMGUARD - SURFACE MOUNT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	272	41ECBSPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 4 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 486 x 400 x 109 mm	20,500.00
	273	61ECBSPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 6 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 540 x 400 x 109 mm	22,900.00
	274	81ECBSPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 8 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 594 x 400 x 109 mm	26,700.00
	275	101ECBSPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 10 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 648 x 400 x 109 mm	30,500.00
	276	121ECBSPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 12 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 702 x 400 x 109 mm	32,000.00
	277	141ECBSPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 14 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 756 x 400 x 109 mm	36,300.00
	278	161ECBSPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 16 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 810 x 400 x 109 mm	37,600.00

DISTRIBUTION BOARD - SERIES - MEMGUARD - SURFACE MOUNT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	279	41ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 4 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 540 x 400 x 109 mm	21,200.00
	280	61ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 6 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 594 x 400 x 109 mm	24,800.00
	281	81ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 8 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 648 x 400 x 109 mm	27,200.00
	282	101ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 10 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 702 x 400 x 109 mm	31,300.00
	283	121ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 12 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 756 x 400 x 109 mm	30,900.00
	284	141ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 14 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 810 x 400 x 109 mm	39,200.00
	285	161ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 16 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 864 x 400 x 109 mm	36,200.00

DISTRIBUTION BOARD - SERIES - MEMGUARD - SURFACE MOUNT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	286	42ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 4 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 540 x 400 x 136 mm	30,300.00
	287	62ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 6 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 594 x 400 x 136 mm	35,400.00
	288	82ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 8 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 648 x 400 x 136 mm	38,550.00
	289	102ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 10 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 702 x 400 x 136 mm	44,400.00
	290	122ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 12 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 756 x 400 x 136 mm	44,100.00
	291	142ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 14 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 810 x 400 x 136 mm	56,000.00
	292	162ECBAPS#	BS EN 60439-3, Memguard, Type tested panel, IP31; 16 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 864 x 400 x 136 mm	52,000.00








DISTRIBUTION BOARD - SERIES - MEMGUARD - FLUSH MOUNT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	293	41ECBPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 4 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 499 x 421 x 109 mm	30,300.00
	294	61ECBPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 6 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 553 x 421 x 109 mm	35,400.00
	295	81ECBPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 8 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 607 x 421 x 109 mm	38,550.00
	296	101ECBPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 10 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 661 x 421 x 109 mm	44,400.00
	297	121ECBPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 12 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 715 x 421 x 109 mm	44,100.00
	298	141ECBPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 14 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 769 x 421 x 109 mm	52,000.00
	299	161ECBPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 16 - Way vertical Modular Rail, RCD or MCB incoming, Maximum load 100A, Dimension: H x W x D - 823 x 421 x 109 mm	56,000.00







DISTRIBUTION BOARD - SERIES - MEMGUARD - FLUSH MOUNT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	300	41ECBSPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 4 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 499 x 421 x 109 mm	21,100.00
	301	61ECBSPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 6 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 553 x 421 x 109 mm	23,000.00
	302	81ECBSPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 8 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 607 x 421 x 109 mm	24,900.00
	303	101ECBSPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 10 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 661 x 421 x 109 mm	26,800.00
	304	121ECBSPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 12 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 715 x 421 x 109 mm	33,500.00
	305	141ECBSPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 14 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 769 x 421 x 109 mm	35,500.00
	306	161ECBSPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 16 - Way vertical Modular Rail, RCD & MCB incoming, Maximum load 100A, Dimension: H x W x D - 823 x 421 x 109 mm	37,500.00

DISTRIBUTION BOARD - SERIES - MEMGUARD - FLUSH MOUNT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	307	41ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 4 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 553 x 421 x 109 mm	19,900.00
	308	61ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 6 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 607 x 421 x 109 mm	21,800.00
	309	81ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 8 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 661 x 421 x 109 mm	27,600.00
	310	101ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 10 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 715 x 421 x 109 mm	29,700.00
	311	121ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 12 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 769 x 421 x 109 mm	32,500.00
	312	141ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 14 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 823 x 421 x 109 mm	34,600.00
	313	161ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 16 - Way vertical Modular Rail, MCCB incoming, Maximum load 100A, Dimension: H x W x D - 877 x 421 x 109 mm	36,800.00

DISTRIBUTION BOARD - SERIES - MEMGUARD - FLUSH MOUNT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	314	42ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 4 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 661 x 421 x 136 mm	23,800.00
	315	62ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 6 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 715 x 421 x 136 mm	27,600.00
	316	82ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 8 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 769 x 421 x 136 mm	32,000.00
	317	102ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 10 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 823 x 421 x 136 mm	34,500.00
	318	122ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 12 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 877 x 421 x 136 mm	37,100.00
	319	142ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 14 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 931 x 421 x 136 mm	40,400.00
	320	162ECBAPF#	BS EN 60439-3, Memguard, Type tested panel, IP31; 16 - Way vertical Modular Rail, MCCB incoming, Maximum load 200A, Dimension: H x W x D - 985 x 421 x 136 mm	43,600.00