



Acti9 iC60

Miniature Circuit Breakers up to 63 A

Giving you absolute peace of mind when it comes to circuit protection and continuity of service, the miniature circuit breakers are especially ideal if you are working within polluted environments and network

MINIATURE CIRCUIT BREAKER (MCB) - SERIES - A9L

1P ISC = 10KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
1	A9N1P06C	6A, 1P, 10kA, MCB, (C-Curve)	370.00
2	A9N1P10C	10A, 1P, 10kA, MCB, (C-Curve)	370.00
3	A9N1P16C	16A, 1P, 10kA, MCB, (C-Curve)	370.00
4	A9N1P20C	20A, 1P, 10kA, MCB, (C-Curve)	370.00
5	A9N1P25C	25A, 1P, 10kA, MCB, (C-Curve)	370.00
6	A9N1P32C	32A, 1P, 10kA, MCB, (C-Curve)	370.00
7	A9N1P40C	40A, 1P, 10kA, MCB, (C-Curve)	700.00
8	A9N1P50C	50A, 1P, 10kA, MCB, (C-Curve)	890.00
9	A9N1P63C	63A, 1P, 10kA, MCB, (C-Curve)	890.00

2P ISC = 10KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
10	A9N2P06C	6A, 2P, 10kA, MCB, (C-Curve)	1,000.00
11	A9N2P10C	10A, 2P, 10kA, MCB, (C-Curve)	1,000.00
12	A9N2P16C	16A, 2P, 10kA, MCB, (C-Curve)	1,000.00
13	A9N2P20C	20A, 2P, 10kA, MCB, (C-Curve)	1,000.00
14	A9N2P25C	25A, 2P, 10kA, MCB, (C-Curve)	1,000.00
15	A9N2P32C	32A, 2P, 10kA, MCB, (C-Curve)	1,000.00
16	A9N2P40C	40A, 2P, 10kA, MCB, (C-Curve)	1,300.00
17	A9N2P50C	50A, 2P, 10kA, MCB, (C-Curve)	1,650.00
18	A9N2P63C	63A, 2P, 10kA, MCB, (C-Curve)	2,000.00

3P ISC = 10KA



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
19	A9N3P06C	6A, 3P, 10kA, MCB, (C-Curve)	1,780.00
20	A9N3P10C	10A, 3P, 10kA, MCB, (C-Curve)	1,780.00
21	A9N3P16C	16A, 3P, 10kA, MCB, (C-Curve)	1,780.00
22	A9N3P20C	20A, 3P, 10kA, MCB, (C-Curve)	1,780.00
23	A9N3P25C	25A, 3P, 10kA, MCB, (C-Curve)	1,780.00
24	A9N3P32C	32A, 3P, 10kA, MCB, (C-Curve)	1,780.00
25	A9N3P40C	40A, 3P, 10kA, MCB, (C-Curve)	1,780.00
26	A9N3P50C	50A, 3P, 10kA, MCB, (C-Curve)	2,110.00
27	A9N3P63C	63A, 3P, 10kA, MCB, (C-Curve)	2,110.00


4P ISC = 10KA




SL	PART NUMBER	ITEM DESCRIPTION	PRICE
28	A9N4P06C	6A, 4P, 10kA, MCB, (C-Curve)	3,780.00
29	A9N4P10C	10A, 4P, 10kA, MCB, (C-Curve)	3,780.00
30	A9N4P16C	16A, 4P, 10kA, MCB, (C-Curve)	3,780.00
31	A9N4P20C	20A, 4P, 10kA, MCB, (C-Curve)	3,780.00
32	A9N4P25C	25A, 4P, 10kA, MCB, (C-Curve)	3,780.00
33	A9N4P32C	32A, 4P, 10kA, MCB, (C-Curve)	3,780.00
34	A9N4P40C	40A, 4P, 10kA, MCB, (C-Curve)	4,250.00
35	A9N4P50C	50A, 4P, 10kA, MCB, (C-Curve)	4,250.00
36	A9N4P63C	63A, 4P, 10kA, MCB, (C-Curve)	4,250.00

The main purpose of the iLD product range is to ensure protection of persons against electric shocks. This range consists of 2-pole and 4-pole, residual current circuit breaker with rated current from 16 to 100A, with sensitivities of 10 to 500mA and types AC or A.

RESIDUAL CURRENT CIRCUIT BREAKER (RCCB) - SERIES - ACTI9


2P	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	37	A9R51225	25A, 2P, 30mA, Type-A, RCCB	9,000.00
	38	A9R51240	40A, 2P, 30mA, Type-A, RCCB	9,500.00
	39	A9R51263	63A, 2P, 30mA, Type-A, RCCB	9,800.00
	40	A9R54225	25A, 2P, 300mA, Type-A, RCCB	9,900.00
	41	A9R54240	40A, 2P, 300mA, Type-A, RCCB	8,000.00
	42	A9R54263	63A, 2P, 300mA, Type-A, RCCB	8,500.00

4P	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	43	A9R51425	25A, 4P, 30mA, Type-A, RCCB	18,500.00
	44	A9R51440	40A, 4P, 30mA, Type-A, RCCB	19,500.00
	45	A9R51463	63A, 4P, 30mA, Type-A, RCCB	24,000.00
	46	A9R54425	25A, 4P, 300mA, Type-A, RCCB	15,000.00
	47	A9R54440	40A, 4P, 300mA, Type-A, RCCB	16,000.00
	48	A9R54463	63A, 4P, 300mA, Type-A, RCCB	17,000.00


Acti 9 iC60 RCBO (2P, 3P, 4P) Compact Residual Current Circuit Breaker with overcurrent protection (RCBO)
2P in 2 modules, 3P in 3 modules, 4P in 4 modules Acti 9 system compatible


RESIDUAL CURRENT BREAKER WITH OVERLOAD (RCBO) - SERIES - ACTI9

30mA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	49	A9D37610	10A, 1P+N, 10KA, 30mA, 240 V AC, RCBO, Type-A	6,500.00
	50	A9D37616	16A, 1P+N, 10KA, 30mA, 240 V AC, RCBO, Type-A	6,500.00
	51	A9D37620	20A, 1P+N, 10KA, 30mA, 240 V AC, RCBO, Type-A	6,500.00
	52	A9D37625	25A, 1P+N, 10KA, 30mA, 240 V AC, RCBO, Type-A	6,500.00
	53	A9D37632	32A, 1P+N, 10KA, 30mA, 240 V AC, RCBO, Type-A	6,500.00








30mA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	54	A9D47610	10A, 1P+N, 10KA, 300mA, 240 V AC, RCBO, Type-A	6,500.00
	55	A9D47616	16A, 1P+N, 10KA, 300mA, 240 V AC, RCBO, Type-A	6,500.00
	56	A9D47620	20A, 1P+N, 10KA, 300mA, 240 V AC, RCBO, Type-A	6,500.00
	57	A9D47625	25A, 1P+N, 10KA, 300mA, 240 V AC, RCBO, Type-A	6,500.00
	58	A9D47632	32A, 1P+N, 10KA, 300mA, 240 V AC, RCBO, Type-A	6,500.00

RESIDUAL CURRENT BREAKER WITH OVERLOAD (RCBO) - SERIES - ACTI9

30mA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	59	A9D11806	6A, 1P+N, 30mA, 240 V AC, RCBO, Type-A	5,000.00
	60	A9D11810	10A, 1P+N, 30mA, 240 V AC, RCBO, Type-A	5,000.00
	61	A9D11816	16A, 1P+N, 30mA, 240 V AC, RCBO, Type-A	5,000.00
	62	A9D11820	20A, 1P+N, 30mA, 240 V AC, RCBO, Type-A	5,000.00
	63	A9D11825	25A, 1P+N, 30mA, 240 V AC, RCBO, Type-A	5,000.00
	64	A9D11832	32A, 1P+N, 30mA, 240 V AC, RCBO, Type-A	5,000.00
	65	A9D11840	40A, 1P+N, 30mA, 240 V AC, RCBO, Type-A	5,000.00
	66	A9D11845	45A, 1P+N, 30mA, 240 V AC, RCBO, Type-A	6,000.00


100mA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	67	A9D12806	6A, 1P+N, 100mA, 240 V AC, RCBO, Type-A	6,000.00
	68	A9D12810	10A, 1P+N, 100mA, 240 V AC, RCBO, Type-A	6,000.00
	69	A9D12816	16A, 1P+N, 100mA, 240 V AC, RCBO, Type-A	6,000.00
	70	A9D12820	20A, 1P+N, 100mA, 240 V AC, RCBO, Type-A	6,000.00
	71	A9D12825	25A, 1P+N, 100mA, 240 V AC, RCBO, Type-A	6,000.00
	72	A9D12832	32A, 1P+N, 100mA, 240 V AC, RCBO, Type-A	6,000.00
	73	A9D12840	40A, 1P+N, 100mA, 240 V AC, RCBO, Type-A	6,000.00
	74	A9D12845	45A, 1P+N, 100mA, 240 V AC, RCBO, Type-A	6,000.00


MCB, RCCB & RCBO ACCESSORIES - SERIES - ACTI9

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	75	A9N26929	Acti 9 - Auxiliary contact OC plus 1 SD and OF; AC/DC	2,200.00
	76	A9XPH124	Comb busbar, 1P, 24 module, 100A	2,000.00
	77	A9XPH224	Comb busbar, 2P, 24 module, 100A	2,250.00
	78	A9XPH324	Comb busbar, 3P, 24 module, 100A	2,500.00
	79	A9XPCM04	Combi busbar connector, 100A (4 set)	1,500.00
	80	04013	Busbar distribution block, 3P, 200A, DIN rail mount	8,700.00
	81	04014	Busbar distribution block, 4P, 200A, DIN rail mount	9,300.00

ComPact NSXm is the smallest size molded case circuit breaker (MCCB) in the ComPact NSX range. With its convenient design, it can easily accommodate applications from 16 to 160 A. Available with integrated earth leakage protection.

3P - MOULDED CASE CIRCUIT BREAKER (MCCB) - SERIES - COMPACT NSXM

3P, 36kA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	82	LV426300	16A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	8,000.00
	83	LV426301	25A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	8,000.00
	84	LV426302	32A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	8,000.00
	85	LV426303	40A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	8,000.00
	86	LV426304	50A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	8,000.00
	87	LV426305	63A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	8,000.00
	88	LV426306	80A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	8,400.00
	89	LV426307	100A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	8,400.00
	90	LV426308	125A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	9,000.00
	91	LV426309	160A, 3P, 36kA, MCCB (ComPact NSXm - Adjustable)	9,000.00

4P, 36kA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	92	LV426320	16A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	10,000.00
	93	LV426321	25A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	10,000.00
	94	LV426322	32A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	10,000.00
	95	LV426323	40A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	10,000.00
	96	LV426324	50A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	10,000.00
	97	LV426325	63A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	10,000.00
	98	LV426326	80A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	10,000.00
	99	LV426327	100A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	10,000.00
	100	LV426328	125A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	14,000.00
	101	LV426329	160A, 4P, 36kA, MCCB (ComPact NSXm - Adjustable)	14,000.00

MCCB ACCESSORIES - SERIES - NSXM









IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	102	LV426930	Direct rotary handle black - for NSXm 16-160	1,000.00
	103	LV426931	Direct rotary handle red - for NSXm 16-160	1,500.00
	104	LV426932	Extended rotary handle black - for NSXm 16-160	1,500.00
	105	LV426933	Extended rotary handle red - for NSXm 16-160	1,500.00


IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	106	LV426920	Interphase barrier, insulation accessory, NSXm 16-160 - Set 6	550.00
	107	LV426844	MX Shunt trip (spring) for NSXm 16-160, 208...240 V AC	1,700.00
	108	LV426804	MN Under Voltage coils for NSXm 16-160, 208...240 V AC	2,250.00
	109	LV426950	Auxiliary contact (spring) OF/SD for NSXm 16-160; 1 NO/NC	700.00


EasyPact CVS

Molded-case circuit breakers from 16 to 630 A

Molded-case circuit breakers (MCCB) with adjustable settings, rated from 16 to 630 A, ideal for applications in small to medium-sized buildings.


3P - MOULDED CASE CIRCUIT BREAKER (MCCB) - SERIES - CVS


ISC= 25KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	110	LV510300	16A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	8,300.00
	111	LV510301	25A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	8,300.00
	112	LV510302	32A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	8,300.00
	113	LV510303	40A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	8,300.00
	114	LV510304	50A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	8,300.00
	115	LV510305	63A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	8,300.00
	116	LV510306	80A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	8,300.00
	117	LV510307	100A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	8,300.00
	118	LV516302	125A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	9,800.00
	119	LV516303	160A, 3P, 25kA, MCCB (Easypact CVS - Adjustable)	13,500.00

ISC= 36KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	120	LV525332	200A, 3P, 36kA, MCCB (Easypact CVS - Adjustable)	23,500.00
	121	LV525333	250A, 3P, 36kA, MCCB (Easypact CVS - Adjustable)	28,500.00
	122	LV540305	320A, 3P, 36kA, MCCB (Easypact CVS - Adjustable)	40,000.00
	123	LV540306	400A, 3P, 36kA, MCCB (Easypact CVS - Adjustable)	40,000.00
	124	LV563305	500A, 3P, 36kA, MCCB (Easypact CVS - Adjustable)	49,000.00
	125	LV563306	600A, 3P, 36kA, MCCB (Easypact CVS - Adjustable)	55,000.00


Compact NSX
Molded case circuit breakers up to 630A
Compact NS
Molded case circuit breakers from 630 to 3200 A



3P - MOULDED CASE CIRCUIT BREAKER (MCCB) - SERIES - NSX

ISC= 36KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	126	NSX100N+TM16D (LV429637)	16A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	9,700.00
	127	NSX100N+TM25D (LV429636)	25A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	9,700.00
	128	NSX100N+TM32D (LV429635)	32A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	9,700.00
	129	NSX100N+TM40D (LV429634)	40A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	9,700.00
	130	NSX100N+TM50D (LV429633)	50A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	9,700.00
	131	NSX100N+TM63D (LV429632)	63A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	9,700.00
	132	NSX100N+TM80D (LV429631)	80A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	10,700.00
	133	NSX100N+TM100D (LV429630)	100A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	10,700.00
	134	NSX160N+TM125D (LV430631)	125A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	19,400.00
	135	NSX160N+TM160D (LV430630)	160A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	19,400.00
	136	NSX250N+TM200D (LV431631)	200A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	28,600.00
	137	NSX250N+TM250D (LV431630)	250A, 3P, 36kA, MCCB (Compact NSX - Adjustable)	28,600.00

ISC=50KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	138	NSX400N+Mic2.3(LV432693)	400A, 3P, 50kA, MCCB (Compact NSX - Adjustable)	48,200.00
	139	NSX630N+ Mic 2.3 (LV432893)	630A, 3P, 50kA, MCCB (Compact NSX - Adjustable)	63,300.00
	140	NS800N+Mic 2.0 (33466)	800A, 3P, 50kA, MCCB (Compact NSX - Adjustable)	98,900.00
	141	NS1000N+Mic 2.0 (33472)	1000A, 3P, 50kA, MCCB (Compact NSX - Adjustable)	113,000.00
	142	NS1250N+Mic2.0 (33478)	1250A, 3P, 50kA, MCCB (Compact NSX - Adjustable)	116,500.00
	143	NS1600N+Mic 2.0 (33482)	1600A, 3P, 50kA, MCCB (Compact NSX - Adjustable)	123,600.00

4P - MOULDED CASE CIRCUIT BREAKER (MCCB) - SERIES - NSX

ISC= 36KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	144	LV429652	63A, 4P, 36KA, MCCB, (Compact NSX - Adjustable)	21,500.00
	145	LV429650	100A, 4P, 36KA, MCCB, (Compact NSX - Adjustable)	21,500.00
	146	LV430651	125A, 4P, 36KA, MCCB, (Compact NSX - Adjustable)	25,500.00
	147	LV431650	250A, 4P, 36KA, MCCB, (Compact NSX - Adjustable)	42,000.00

ISC= 50KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	148	LV432694	400A, 4P, 50KA, MCCB, (Compact NSX - Adjustable)	85,000.00
	149	LV432894	630A, 4P, 50KA, MCCB, (Compact NSX - Adjustable)	95,000.00
	150	33469	800A, 4P, 50KA, MCCB, (Compact NSX - Adjustable)	190,000.00
	151	33475	1000A, 4P, 50KA, MCCB, (Compact NSX - Adjustable)	200,000.00
	152	33480	1250A, 4P, 50KA, MCCB, (Compact NSX - Adjustable)	218,000.00

MCCB ACCESSORIES - SEIRES - NSX & CVS






IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	153	LV429329	6 Inter-phase barriers for NSX / CVS 100-250A	1,100.00
	154	LV432570	6 Inter-phase barriers for NSX / CVS 400-630A	1,100.00
	155	33646	3 Inter-phase barriers for NSX / CVS 630-1600A	2,500.00
	156	LV429515	3P Short terminal shield for NSX/CVS 100-250A	1,250.00
	157	541774	ER IFLEX FLEXIBAR END COVER 20	220.00
	158	541775	ER IFLEX FLEXIBAR END COVER 24	240.00
	159	541776	ER IFLEX FLEXIBAR END COVER 32	270.00


















IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	160	LV429337	Direct rotary handle Black Front for, NSX/CVS 63-250A	4,000.00
	161	LV429339	Direct rotary handle Red Front for, NSX/CVS 63-250A	4,500.00
	162	LV432597	Direct rotary handle Black Front for, NSX/CVS 400-630A	6,000.00
	163	LV432599	Direct rotary handle Red Front for, NSX/CVS 400-630A	7,000.00
	164	33863	Direct rotary handle Black Front for NS 630-1600	20,000.00
	165	33864	Direct rotary handle Red Front for NS 630-1600	25,000.00
	166	LV429338	Extended rotary handle Black Front for, NSX/CVS 63-250A	5,000.00
	167	LV429340	Extended rotary handle Red Front for, NSX/CVS 63-250A	5,500.00
	168	LV432598	Extended rotary handle Black Front for, NSX/CVS 400-630A	7,000.00
	169	LV432600	Extended rotary handle Red Front for, NSX/CVS 400-630A	7,500.00





IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	170	33878	Extended rotary handle Black Front for NS 630-1600	24,000.00
	171	33879	Extended rotary handle Red Front for NS 630-1600	25,000.00
IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	172	LV429434	Motor mechanism with SDE adapter NSX/CVS 100/160A, 220-240 V AC	70,000.00
	173	LV431541	Motor mechanism with SDE adapter NSX/CVS 250A, 220-240 V AC	70,000.00
	174	LV429436	Motor mechanism with SDE adapter NSX/CVS 100/160A, 24V DC	70,000.00
	175	LV431543	Motor mechanism with SDE adapter NSX/CVS 250A, 24V DC	70,000.00
	176	LV431641	Motor mechanism with SDE adapter NSX/CVS 400/630A, 220-240 V AC	70,000.00
	177	LV429387	Shunt trip coil (MX) for NSX/CVS 63-630A, 220-240 V AC	6,000.00
	178	LV429390	Shunt trip coil (MX) for NSX/CVS 63-630A, 24 V DC	6,000.00
	179	LV429410	Under Voltage coils (MN) for NSX/CVS 63-630A, 24V DC	6,000.00
	180	LV429407	Under Voltage coils (MN) for NSX/CVS 63-630A, 220-240 V AC	6,000.00
	181	29450	Auxiliary Contact Block for NS/NSX/CVS; 1NO +1NC	2,500.00

MCCB BUSBAR CONNECTION BLOCK - SEIRES - NSX

NSX, CVS	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	182	LV429358	3P NSX/CVS 100...250A ,Change Over Busbar	45,000.00
	183	LV429359	4P NSX/CVS 100...250A ,Change Over Busbar	50,000.00

NSX, CVS	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	184	LV432619	3P NSX/CVS 400...630A ,Change Over Busbar	55,000.00
	185	LV432620	4P NSX/CVS 400...630A ,Change Over Busbar	60,000.00
	186	04405	3P Distribution block with pre-wired Connector for NSX/CVS 250A, 4 X MCCB	50,000.00
	187	04406	4P Distribution block with pre-wired Connector for NSX/CVS 250A, 3 X MCCB	55,000.00
	188	04407	3P Distribution block without pre-wired Connector for NSX/CVS 250A, 4 X MCCB	28,000.00
	189	04408	4P Distribution block without pre-wired Connector for NSX/CVS 250A, 3 X MCCB	30,000.00
	190	LGY112510	SCREW DISTRIBUTION BLOCK 1P 125A 10HOLES	4,550.00
	191	LGY125014	SCREW DISTRIBUTION BLOCK 1P 250A 14HOLES	8,250.00
	192	LGY412548	SCREW DISTRIBUTION BLOCK 4P 125A 48HOLES	4,150.00
	193	LGY416048	SCREW DISTRIBUTION BLOCK 4P 160A 48HOLES	7,150.00
	194	04033	Quick distribution blocks for 3P, NSX/CVS 250A, 27 Holes	6,000.00
	195	04034	Quick distribution blocks for 4P, NSX/CVS 250A, 36 Holes	8,500.00
	196	04052	Multi-stage distribution blocks 160A	9,000.00
	197	04053	Multi-stage distribution blocks 250A	10,000.00
	198	04054	Multi-stage distribution blocks 400A	11,000.00
	199	04055	Multi-stage distribution blocks 630A	17,000.00

MCCB MECHANICAL INTERLOCK - SEIRES - NSX



NSX, CVS	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	200	LV429354	3P, NSX/CVS 100...250A, Mechanical Interlock for toggle controlled circuit breakers	18,500.00
	201	LV432614	3P, NSX/CVS 400...630A, Mechanical Interlock for toggle controlled circuit breakers	28,000.00
	202	LV429369	3P, NSX/CVS 100...250A, Mechanical Interlock for rotary handled circuit breakers	23,000.00
	203	LV432621	3P, NSX/CVS 400...630A, Mechanical Interlock for rotary handled circuit breakers	28,000.00

Compact INS/INV

Switch disconnectors from 40 A to 2500 A

Compact INS/INV switch disconnectors optimize your switchboard, ensuring total coordination with all Schneider Electric circuit breakers.

MANUAL SOURCE CHANGE OVER - SEIRES - INS

3P	SL	PART NUMBER	ITEM DESCRIPTION	PRICE	
	204	31140	Manual source changeover switch INS250 -3P- 100A	66,000.00	
	205	31144	Manual source changeover switch INS250 -3P- 160A	66,000.00	
	206	31142	Manual source changeover switch INS250 -3P- 200A	68,500.00	
	207	31146	Manual source changeover switch INS250 -3P- 250A	68,500.00	
	208	31148	Manual source changeover switch INS320 -3P- 320A	75,000.00	
	209	31150	Manual source changeover switch INS400 -3P- 400A	75,000.00	
	210	31152	Manual source changeover switch INS500 -3P- 500A	160,000.00	
	211	31154	Manual source changeover switch INS630 -3P- 630A	180,000.00	
	4P	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
		212	31141	Manual source changeover switch INS250 -4P- 100A	78,000.00
213		31145	Manual source changeover switch INS250 -4P- 160A	78,000.00	
214		31143	Manual source changeover switch INS250 -4P- 200A	78,000.00	
215		31147	Manual source changeover switch INS250 -4P- 250A	78,000.00	
216		31149	Manual source changeover switch INS320 -4P- 320A	78,000.00	
217		31151	Manual source changeover switch INS400 -4P- 400A	81,000.00	
218		31153	Manual source changeover switch INS500 -4P- 500A	190,000.00	
219		31155	Manual source changeover switch INS630 -4P- 630A	200,000.00	

Compact INS/INV

Switch disconnectors from 40 A to 2500 A

Compact INS/INV switch disconnectors optimize your switchboard, ensuring total coordination with all Schneider Electric circuit breakers.

SWITCH DISCONNECTOR - SEIRES - COMPACT INS


IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	220	28900	40A, 3P, IP40 Switch disconnector	4,480.00
	221	28902	63A, 3P, IP40 Switch disconnector	5,040.00
	222	28904	80A, 3P, IP40 Switch disconnector	5,600.00
	223	28908	100A, 3P, IP40 Switch disconnector	7,000.00
	224	28910	125A, 3P, IP40 Switch disconnector	11,200.00
	225	28912	160A, 3P, IP40 Switch disconnector	12,880.00
	226	31106	250A, 3P, IP40 Switch disconnector	19,600.00
	227	31108	320A, 3P, IP40 Switch disconnector	34,160.00
	228	31110	400A, 3P, IP40 Switch disconnector	35,000.00
	229	31112	500A, 3P, IP40 Switch disconnector	42,000.00
230	31114	630A, 3P, IP40 Switch disconnector	50,400.00	

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	231	28901	40A, 4P, IP40 Switch disconnector	5,040.00
	232	28903	63A, 4P, IP40 Switch disconnector	5,600.00
	233	28905	80A, 4P, IP40 Switch disconnector	6,440.00
	234	28909	100A, 4P, IP40 Switch disconnector	7,840.00
	235	28911	125A, 4P, IP40 Switch disconnector	13,160.00
	236	28913	160A, 4P, IP40 Switch disconnector	14,000.00
	237	31107	250A, 4P, IP40 Switch disconnector	21,000.00
	238	31109	320A, 4P, IP40 Switch disconnector	39,200.00
	239	31111	400A, 4P, IP40 Switch disconnector	40,600.00
	240	31113	500A, 4P, IP40 Switch disconnector	50,400.00
	241	31115	630A, 4P, IP40 Switch disconnector	56,000.00


Masterpact NT is a comprehensive range of air circuit breakers designed to protect electrical systems from damage caused by overloads, short circuits and equipment ground faults. Embedding Micrologic control units, it contributes to safety and energy efficiency.


ACB - FIXED TYPE - SERIES - MASTERPACT NT

3P, 42KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	242	NT06H13F2	630A, 3P, 42KA, Fixed type, Micrologic 2.0A, ACB	215,000.00
	243	NT08H13F2	800A, 3P, 42KA, Fixed type, Micrologic 2.0A, ACB	220,000.00
	244	NT10H13F2	1000A, 3P, 42KA, Fixed type, Micrologic 2.0A, ACB	226,100.00
	245	NT12H13F2	1250A, 3P, 42KA, Fixed type, Micrologic 2.0A, ACB	242,200.00







4P, 42KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	246	NT06H14F2	630A, 4P, 42KA, Fixed type, Micrologic 2.0A, ACB	250,000.00
	247	NT08H14F2	800A, 4P, 42KA, Fixed type, Micrologic 2.0A, ACB	260,000.00
	248	NT10H14F2	1000A, 4P, 42KA, Fixed type, Micrologic 2.0A, ACB	270,000.00
	249	NT12H14F2	1250A, 4P, 42KA, Fixed type, Micrologic 2.0A, ACB	285,000.00

ACB - DRAWOUT TYPE - SERIES - MASTERPACT NT

3P, 42KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	250	NT06H13D5	630A, 3P, 42KA, Drawout type, Micrologic 5.0A, ACB	290,000.00
	251	NT08H13D5	800A, 3P, 42KA, Drawout type, Micrologic 5.0A, ACB	300,000.00
	252	NT10H13D5	1000A, 3P, 42KA, Drawout type, Micrologic 5.0A, ACB	310,000.00
	253	NT12H13D5	1250A, 3P, 42KA, Drawout type, Micrologic 5.0A, ACB	330,000.00

4P, 42KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	254	NT06H14D5	630A, 4P, 42KA, Drawout type, Micrologic 5.0A, ACB	320,000.00
	255	NT08H14D5	800A, 4P, 42KA, Drawout type, Micrologic 5.0A, ACB	330,000.00
	256	NT10H14D5	1000A, 4P, 42KA, Drawout type, Micrologic 5.0A, ACB	345,000.00
	257	NT12H14D5	1250A, 4P, 42KA, Drawout type, Micrologic 5.0A, ACB	365,000.00

ACB ACCESSORIES - SERIES - MASTERPACT NT


IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	258	33177	Gear Charging Motor MCH 200/240V AC for NT ACB	67,000.00
	259	33176	Gear Charging Motor MCH 100/130V AC for NT ACB	67,000.00
	260	33185	Gear Charging Motor MCH 24/30V DC for NT ACB	67,000.00
	261	33671	MN Undervoltage coil 200/250V AC/DC	12,500.00
	262	33670	MN Undervoltage coil 100/130V AC/DC	12,500.00
	263	33668	MN Undervoltage coil 24/30V DC, 24 V AC	12,500.00
	264	33659	Closing and opening coil 24/30V DC	12,500.00
	265	33661	Closing and opening coil 100/130V AC	12,500.00
	266	33662	Closing and opening coil 200/250V AC	12,500.00
	267	47074	Auxiliary terminal block; Fixed NT ACB	1,600.00
	268	33098	Auxiliary terminal block; Drawout NT ACB	1,600.00
	269	33200	1 Mechanical Interlock Plate for NT fixed devices for NT ACB	18,500.00
	270	33201	1 Mechanical Interlock Plate for NT drawout devices for NT ACB	18,500.00
	271	33209	2 cables, 2.5M for interlocking any combination - NT/NW fixed or drawout	16,000.00

Masterpact NW is a comprehensive range of air circuit breakers designed to protect electrical systems from damage caused by overloads, short circuits and equipment ground faults. Embedding Micrologic control units, it contributes to safety and energy efficiency.

ACB - FIXED TYPE - SERIES - MASTERPACT NW


3P, 65KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	272	NW08H13F2	800A, 3P, 65KA, Fixed type, Micrologic 2.0A, ACB	240,000.00
	273	NW10H13F2	1000A, 3P, 65KA, Fixed type, Micrologic 2.0A, ACB	260,000.00
	274	NW12H13F2	1250A, 3P, 65KA, Fixed type, Micrologic 2.0A, ACB	270,000.00
	275	NW16H13F2	1600A, 3P, 65KA, Fixed type, Micrologic 2.0A, ACB	310,000.00
	276	NW20H13F2	2000A, 3P, 65KA, Fixed type, Micrologic 2.0A, ACB	330,000.00
	277	NW25H13F2	2500A, 3P, 65KA, Fixed type, Micrologic 2.0A, ACB	370,000.00
	278	NW32H13F2	3200A, 3P, 65KA, Fixed type, Micrologic 2.0A, ACB	450,000.00
	3P, 100KA	SL	PART NUMBER	ITEM DESCRIPTION
	279	NW40H23F2	4000A, 3P, 100KA, Fixed type, Micrologic 2.0A, ACB	670,000.00
3P, 100KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	280	NW50H13F5	5000A, 3P, 100KA, Fixed type, Micrologic 5.0A, ACB	1,130,000.00
	281	NW63H13F5	6300A, 3P, 100KA, Fixed type, Micrologic 5.0A, ACB	1,530,000.00
4P, 65KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	282	NW08H14F2	800A, 4P, 65KA, Fixed type, Micrologic 2.0A, ACB	310,000.00
	283	NW10H14F2	1000A, 4P, 65KA, Fixed type, Micrologic 2.0A, ACB	325,000.00
	284	NW12H14F2	1250A, 4P, 65KA, Fixed type, Micrologic 2.0A, ACB	340,000.00
	285	NW16H14F2	1600A, 4P, 65KA, Fixed type, Micrologic 2.0A, ACB	415,000.00
	286	NW20H14F2	2000A, 4P, 65KA, Fixed type, Micrologic 2.0A, ACB	450,000.00
	287	NW25H14F2	2500A, 4P, 65KA, Fixed type, Micrologic 2.0A, ACB	590,000.00
	288	NW32H14F2	3200A, 4P, 65KA, Fixed type, Micrologic 2.0A, ACB	720,000.00
	4P, 100KA	SL	PART NUMBER	ITEM DESCRIPTION
	289	NW40H24F2	4000A, 4P, 100KA, Fixed type, Micrologic 2.0A, ACB	995,000.00
4P, 100KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	290	NW50H14F5	5000A, 4P, 100KA, Fixed type, Micrologic 5.0A, ACB	1,630,000.00
	291	NW63H14F5	6300A, 4P, 100KA, Fixed type, Micrologic 5.0A, ACB	2,150,000.00

ACB - DRAWOUT TYPE - SERIES - MASTERPACT NW


3P, 65KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	292	NW08H13D5	800A, 3P, 65KA, Drawout type, Micrologic 5.0A, ACB	385,000.00
	293	NW10H13D5	1000A, 3P, 65KA, Drawout type, Micrologic 5.0A, ACB	395,000.00
	294	NW12H13D5	1250A, 3P, 65KA, Drawout type, Micrologic 5.0A, ACB	410,000.00
	295	NW16H13D5	1600A, 3P, 65KA, Drawout type, Micrologic 5.0A, ACB	465,000.00
	296	NW20H13D5	2000A, 3P, 65KA, Drawout type, Micrologic 5.0A, ACB	510,000.00
	297	NW25H13D5	2500A, 3P, 65KA, Drawout type, Micrologic 5.0A, ACB	620,000.00

3P, 100KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	298	NW32H23D5	3200A, 3P, 100KA, Drawout type, Micrologic 5.0A, ACB	770,000.00
	299	NW40H23D5	4000A, 3P, 100KA, Drawout type, Micrologic 5.0A, ACB	995,000.00

3P, 100KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	300	NW50H13D5	5000A, 3P, 100KA, Drawout type, Micrologic 5.0A, ACB	1,650,000.00
	301	NW63H13D5	6300A, 3P, 100KA, Drawout type, Micrologic 5.0A, ACB	2,090,000.00

4P, 65KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	302	NW08H14D5	800A, 4P, 65KA, Drawout type, Micrologic 5.0A, ACB	450,000.00
	303	NW10H14D5	1000A, 4P, 65KA, Drawout type, Micrologic 5.0A, ACB	460,000.00
	304	NW12H14D5	1250A, 4P, 65KA, Drawout type, Micrologic 5.0A, ACB	475,000.00
	305	NW16H14D5	1600A, 4P, 65KA, Drawout type, Micrologic 5.0A, ACB	550,000.00
	306	NW20H14D5	2000A, 4P, 65KA, Drawout type, Micrologic 5.0A, ACB	620,000.00
	307	NW25H14D5	2500A, 4P, 65KA, Drawout type, Micrologic 5.0A, ACB	770,000.00

4P, 100KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	308	NW32H24D5	3200A, 4P, 100KA, Drawout type, Micrologic 5.0A, ACB	950,000.00
	309	NW40H24D5	4000A, 4P, 100KA, Drawout type, Micrologic 5.0A, ACB	1,250,000.00

4P, 100KA	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	310	NW50H14D5	5000A, 4P, 100KA, Drawout type, Micrologic 5.0A, ACB	2,050,000.00
	311	NW63H14D5	6300A, 4P, 100KA, Drawout type, Micrologic 5.0A, ACB	2,600,000.00

ACB ACCESSORIES - SERIES - MASTERPACT NW

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	312	47894	Gear Charging Motor MCH 200/240V AC for NW ACB	60,000.00
	313	47893	Gear Charging Motor MCH 100/130V AC for NW ACB	60,000.00
	314	47888	Gear Charging Motor MCH 24/30V DC for NW ACB	60,000.00
	315	33662	Closing and opening coil 200/250V AC	12,500.00
	316	33661	Closing and opening coil 100/130V AC	12,500.00
	317	33659	Closing and opening coil 24/30V DC	12,500.00
	318	33671	Undervoltage coil MN 200-230V AC/DC	12,500.00
	319	33670	Undervoltage coil MN 100-130V AC/DC	12,500.00
	320	33668	Undervoltage coil MN 24-30V AC/DC	12,500.00
	321	47915	"Fault trip" indication contacts (SDE) Changeover contact (SDE)	2,000.00
	322	64922	Auxiliary Contact Block; 4NO + 4NC for NW ACB	4,300.00
	323	47849	Auxiliary terminal block; Drawout NW ACB	1,500.00
	324	47074	Auxiliary terminal block; Fixed NW ACB	1,600.00
	325	47080	"Ready to close" contact (1 max.) PF 1, changeover contact (5 A - 240 V)	1,500.00
	326	47926	1 Mechanical Interlock Plate for NW fixed/Drawout ACB	18,500.00
	327	48610	3 sources, only 1 device closed, NW fixed/Drawout ACB	30,000.00
	328	48609	2 sources + 1 coupling, NW fixed/Drawout ACB	30,000.00
	329	48608	2 normal + 1 replacement source, NW fixed/Drawout ACB	30,000.00
	330	33209	2 cables, 2.5M for interlocking any combination - NT/NW fixed or drawout	15,000.00

ELECTRONIC TRIP UNIT FOR ACB





IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	331	47282 Micrologic 2.0A	"2.0A Micrologic trip unit - LI - for NT, NW; Protection-Overload protection (long time) Instantaneous short-circuit protection"	60,000.00
	332	48360 Micrologic 5.0A	"5.0A Micrologic trip unit - LSI - for NT, NW; Protection-Overload protection (long time) Short time short-circuit protection Instantaneous short-circuit protection"	90,000.00





IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	333	48361 Micrologic 6.0A	"Micrologic 6.0A trip unit - LSIG - for NT, NW; Protection-Short time short-circuit protection Earth fault Overload protection (long time) Instantaneous short-circuit protection"	110,000.00
	334	47287 Micrologic 7.0A	"Micrologic 7.0A trip unit - LSIG - for NT, NW; Protection-Short time short-circuit protection Instantaneous short-circuit protection Earth leakage Overload protection (long time)"	120,000.00

TeSys Vario

Safety switch disconnectors from 12 A to 175 A

TeSys Vario/Mini-Vario is a range of safety switch disconnectors from 12 A to 175 A. The solution provides a flexible choice of mounting and enclosure options for local starting or stopping of motors.

ENCLOSED SWITCH DISCONNECTOR - SEIRES - TESYS VARIO

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	335	VCF02GE	10 A, 3P, IP65 Enclosed switch disconnecter	5,000.00
	336	VCF01GE	16 A, 3P, IP65 Enclosed switch disconnecter	5,500.00
	337	VCF0GE	20 A, 3P, IP65 Enclosed switch disconnecter	6,500.00
	338	VCF1GE	25 A, 3P, IP65 Enclosed switch disconnecter	6,200.00
	339	VCF2GE	32 A, 3P, IP65 Enclosed switch disconnecter	7,500.00
	340	VCF3GE	50 A, 3P, IP65 Enclosed switch disconnecter	12,500.00
	341	VCF4GE	63 A, 3P, IP65 Enclosed switch disconnecter	13,700.00
	342	VCF5GEN	100 A, 3P, IP65 Enclosed switch disconnecter	35,000.00
	343	VCF6GEN	140 A, 3P, IP65 Enclosed switch disconnecter	37,000.00
	344	VCFN20GE	16 A, 3P, IP55 Emergency stop switch disconnecter	4,700.00
	345	VCFN40GE	32 A, 3P, IP55 Emergency stop switch disconnecter	6,800.00

Kavacha - Full-time Weatherproof Protection Devices. Residential and professional applications, Flush- or surfaced-mounted installations

WEATHER PROOF ISOLATING SWITCH - SEIRES - KAVACHA W

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	346	WHT20_GY	20 A, 3P, IP66 Surface Mount, Weather Proof Isolating Switch	3,000.00
	347	WHT35_GY	35 A, 3P, IP66 Surface Mount, Weather Proof Isolating Switch	3,500.00


TeSys D

Contactors up to 150 A for AC3 (75 kW / 400 V) and 200 A for AC1 applications







TeSys F

3 pole contactors suitable for motor control up to 1000 A and power switching up to 2600 A

MEGNETIC CONTACTOR - SEIRES - TESYS- 24V DC

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	348	LC1D09BD	4KW, 9A (AC3), 3P, 1NO + 1NC, 24V DC	5,000.00
	349	LC1D12BD	5.5KW, 12A (AC3), 3P, 1NO + 1NC, 24V DC	5,500.00
	350	LC1D18BD	9KW, 18A (AC3), 3P, 1NO + 1NC, 24V DC	7,000.00
	351	LC1D25BD	11KW, 25A (AC3), 3P, 1NO + 1NC, 24V DC	8,500.00
	352	LC1D32BD	15KW, 32A (AC3), 3P, 1NO + 1NC, 24V DC	11,000.00
	353	LC1D40ABD	22KW, 40A (AC3), 3P, 1NO + 1NC, 24V DC	22,500.00
	354	LC1D50ABD	25KW, 50A (AC3), 3P, 1NO + 1NC, 24VDC	25,000.00

MEGNETIC CONTACTOR - SEIRES - TESYS- 110V AC

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	355	LC1D09F7	4KW, 9A (AC3), 3P, 1NO + 1NC, 110V AC	1,670.00
	356	LC1D12F7	5.5KW, 12A (AC3), 3P, 1NO + 1NC, 110V AC	1,990.00
	357	LC1D18F7	9KW, 18A (AC3), 3P, 1NO + 1NC, 110V AC	2,550.00
	358	LC1D25F7	11KW, 25A (AC3), 3P, 1NO + 1NC, 110V AC	2,780.00
	359	LC1D32F7	15KW, 32A (AC3), 3P, 1NO + 1NC, 110V AC	5,930.00
	360	LC1D38F7	18.5KW, 38A (AC3), 3P, 1NO + 1NC, 110V AC	8,870.00
	361	LC1D40AF7	22KW, 40A (AC3), 3P, 1NO + 1NC, 110V AC	10,410.00
	362	LC1D50AF7	25KW, 50A (AC3), 3P, 1NO + 1NC, 110V AC	10,870.00
	363	LC1D65AF7	30KW, 65A (AC3), 3P, 1NO + 1NC, 110V AC	14,560.00
	364	LC1D80F7	45KW, 80A (AC3), 3P, 1NO + 1NC, 110V AC	18,200.00
	365	LC1D95F7	45KW, 95A (AC3), 3P, 1NO + 1NC, 110V AC	21,250.00
	366	LC1D115F7	59KW, 115A (AC3), 3P, 1NO + 1NC, 110V AC	27,070.00

MEGNETIC CONTACTOR - SEIRES - TESYS - 220V AC











IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	367	LC1D09M7	4KW, 9A (AC3), 3P, 1NO + 1NC, 220V AC	1,670.00
	368	LC1D12M7	5.5KW, 12A (AC3), 3P, 1NO + 1NC, 220V AC	1,990.00
	369	LC1D18M7	9KW, 18A (AC3), 3P, 1NO + 1NC, 220V AC	2,550.00
	370	LC1D25M7	11KW, 25A (AC3), 3P, 1NO + 1NC, 220V AC	2,780.00
	371	LC1D32M7	15KW, 32A (AC3), 3P, 1NO + 1NC, 220V AC	5,930.00
	372	LC1D38M7	18.5KW, 38A (AC3), 3P, 1NO + 1NC, 220V AC	8,870.00
	373	LC1D40AM7	22KW, 40A (AC3), 3P, 1NO + 1NC, 220V AC	10,410.00
	374	LC1D50AM7	25KW, 50A (AC3), 3P, 1NO + 1NC, 220V AC	10,870.00
	375	LC1D65AM7	30KW, 65A (AC3), 3P, 1NO + 1NC, 220V AC	14,560.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	376	LC1D80M7	45KW, 80A (AC3), 3P, 1NO + 1NC, 220V AC	18,200.00
	377	LC1D95M7	45KW, 95A (AC3), 3P, 1NO + 1NC, 220V AC	21,250.00
	378	LC1D115M7	59KW, 115A (AC3), 3P, 1NO + 1NC, 220V AC	27,070.00
	379	LC1D150M7	80KW, 150A (AC3), 3P, 1NO + 1NC, 220V AC	34,290.00
	380	LC1F185M7	100KW, 185A (AC3), 3P, 0NO + 0NC, 220V AC	46,390.00
	381	LC1F225M7	110KW, 225A (AC3), 3P, 0NO + 0NC, 220V AC	57,750.00
	382	LC1F265M7	140KW, 265A (AC3), 3P, 0NO + 0NC, 220V AC	65,080.00
	383	LC1F330M7	180KW, 330A (AC3), 3P, 0NO + 0NC, 220V AC	76,960.00
	384	LC1F400M7	220KW, 400A (AC3), 3P, 0NO + 0NC, 220V AC	94,070.00
	385	LC1F500M7	280KW, 500A (AC3), 3P, 0NO + 0NC, 220V AC	115,440.00
	386	LC1F630M7	375KW, 630A (AC3), 3P, 10NO + 0NC, 220V AC	147,510.00
	387	LC1F780M7	425KW, 780A (AC3), 3P, 0NO + 0NC, 220V AC	285,590.00
	388	LC1F800M7	450KW, 800A (AC3), 3P, 0NO + 0NC, 220V AC	332,140.00

ACCESSORIES - MEGNETIC CONTACTOR













IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	389	LADN11	1NO + 1NC, Auxiliary Contact Block; Range: TeSys-D/TeSys-F	600.00
	390	LADN22	2NO + 2NC, Auxiliary Contact Block; Range: TeSys-D/TeSys-F	1,060.00
	391	LADT2	0.1 - 30s, On delay timer; Range: TeSys	3,240.00
	392	LADT4	10 - 180s, On delay timer, Range: TeSys	3,600.00
	393	LADR2	0.1 - 30s, Off delay timer, Range: TeSys	3,240.00
	394	LADR4	10 - 180s, Off delay timer, Range: TeSys	3,600.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	395	LAD9V2	Mechanical interlock for magnetic contactor; Range: LC1D09...LC1D38	800.00
	396	LAD4CM	Mechanical interlock for magnetic contactor; Range: LC1D40...LC1D65	4,000.00
	397	LA9D50978	Mechanical interlock for magnetic contactor; Range: LC1D80...LC1D95	4,300.00
	398	LA9D11502	Mechanical interlock for magnetic contactor; Range: LC1D150...LC1D115	4,600.00
	399	LA9FJ970	Mechanical interlock for magnetic contactor; Range: LC1F265...LC1F500	7,400.00
	400	LA9FL970	Mechanical interlock for magnetic contactor; Range: LC1F630...LC1F800	9,200.00
IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	401	LA9D8069	Star- Delta power connector; Range: LC1D80/LC1D95	6,500.00
	402	LA9D11569	Star- Delta power connector; Range: LC1D115/LC1D150	18,400.00
	403	LA9D11571	Parallel bar power connector for 3-pole changeover contactor pairs; Range: LC1D115/LC1D150	11,500.00
	404	LAD9V5	3P, Upstream Power Connection Bar with screw terminal; LC1D09...D38	830.00
	405	LAD9V6	3P, Downstream Power Connection Bar with screw terminal; LC1D09...D38	830.00
	406	LAD9V12	3P, Upstream Power Connection Bar with spring terminals; LC1D09...D38	3,000.00
	407	LAD9V13	3P, Downstream Power Connection Bar with spring terminals; LC1D09...D38	3,600.00
	408	LA9D65A69	3P, Reversing Power Connection Bar; LC1D40A...D65A	7,000.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	409	LX1FF220	Contacteur coil, 220...230 V AC, 50/60 Hz; Range: LC1F115/LC1F150	8,800.00
	410	LX1FG220	Contacteur coil, 220...230 V AC, 50/60 Hz; Range: LC1F185/LC1F225	8,800.00
	411	LX1FH2202	Contacteur coil, 220...230 V AC, 50/60 Hz; Range: LC1F265/LC1F330	9,900.00
	412	LX1FJ220	Contacteur coil, 220...230 V AC, 50/60 Hz; Range: LC1F400	21,000.00
	413	LX1FK220	Contacteur coil, 220...230 V AC, 50/60 Hz; Range: LC1F500	21,000.00
	414	LX1FL220	Contacteur coil, 220...240 V AC, 50/60 Hz; Range: LC1F630...LC1F1250	22,000.00

TeSys LRD - Thermal overload relays up to 75 kW/400 V, Designed for TeSys D contactors ranges
 TeSys LRF - Electronic Thermal Overload Relays up to 315 kW, Designed for TeSys F contactors ranges

OVERLOAD RELAY - SEIRES - TESYS







IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	415	LRD01	0.1...0.16A, Overload relay; Range: D09...D38	2,510.00
	416	LRD02	0.16...0.25A, Overload relay; Range: D09...D38	2,510.00
	417	LRD03	0.25...0.4A, Overload relay; Range: D09...D38	2,510.00
	418	LRD04	0.4...0.63A, Overload relay; Range: D09...D38	2,510.00
	419	LRD05	0.63...1A, Overload relay; Range: D09...D38	2,510.00
	420	LRD06	1...1.7A, Overload relay; Range: D09...D38	2,510.00
	421	LRD07	1.6...2.5A, Overload relay; Range: D09...D38	2,510.00
	422	LRD08	2.5...4A, Overload relay; Range: D09...D38	2,510.00
	423	LRD10	4...6A, Overload relay; Range: D09...D38	2,510.00
	424	LRD12	5.5...8A, Overload relay; Range: D09...D38	2,510.00
	425	LRD14	7...10A, Overload relay; Range: D09...D38	2,510.00
	426	LRD16	9...13A, Overload relay; Range: D12...D38	2,680.00
	427	LRD21	12...18A, Overload relay; Range: D18...D38	2,850.00
	428	LRD22	16...24A, Overload relay; Range: D25...D38	3,180.00
	429	LRD32	23...32A, Overload relay; Range: D25...D38	4,380.00
	430	LRD35	30...38A, Overload relay; Range: D25...D38	4,380.00
		431	LRD325	16...25A, Overload relay; Range: D40A...D65A
432		LRD332	23...32A, Overload relay; Range: D40A...D65A	5,430.00
433		LRD340	25...40A, Overload relay; Range: D40A...D65A	5,430.00
434		LRD350	37...50A, Overload relay; Range: D40A...D65A	6,740.00
435		LRD365	48...65A, Overload relay; Range: D50A...D65A	7,390.00


IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	436	LRD3361	55...70A, Overload relay; Range: D80...D95	8,280.00
	437	LRD3363	63...80A, Overload relay; Range: D80...D95	8,770.00
	438	LRD3365	80...104A, Overload relay; Range: D80...D95	12,740.00
	439	LRD4365	80...104A, Overload relay; Range: D115...D150	15,900.00
	440	LRD4367	95...120A, Overload relay; Range: D115...D150	17,160.00
	441	LRD4369	110...140A, Overload relay; Range: D150	18,230.00
	442	LR9F5357	30...50A, Overload relay; Range: F115...F185	18,430.00
	443	LR9F5363	48...80A, Overload relay; Range: F115...F185	18,430.00
	444	LR9F5367	60...100A, Overload relay; Range: F115...F185	18,430.00
	445	LR9F5369	90...150A, Overload relay; Range: F115...F185	18,800.00
	446	LR9F5371	132...220A, Overload relay; Range: F185...F400	27,450.00
	447	LR9F7375	200...330A, Overload relay; Range: F225...F500	27,450.00
	448	LR9F7379	300...500A, Overload relay; Range: F225...F500	36,780.00
	449	LR9F7381	380...630A, Overload relay; Range: F400-F800	38,990.00

TeSys GV2 - Thermal-magnetic and magnetic motor circuit-breakers up to 32 A









TeSys GV3 - Thermal-magnetic and magnetic motor circuit-breakers up to 80 A and 45 kW

MOTOR PROTECTION CIRCUIT BREAKER - SERIES - TESYS

GV2	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	450	GV2ME04	0.4...0.63A, 3P, 0.18kW, MPCB	4,540.00
	451	GV2ME05	0.63...1A, 3P, 0.37kW, MPCB	4,540.00
	452	GV2ME06	1.0...1.6A, 3P, 0.55kW, MPCB	4,540.00
	453	GV2ME07	1.6...2.5A, 3P, 1.1kW, MPCB	4,540.00
	454	GV2ME08	2.5...4A, 3P, 1.5kW, MPCB	4,540.00
	455	GV2ME10	4...6.3A, 3P, 2.2kW, MPCB	4,540.00
	456	GV2ME14	6...10A, 3P, 4kW, MPCB	5,410.00
	457	GV2ME16	9...14A, 3P, 5.5kW, MPCB	5,410.00
	458	GV2ME20	13...18A, 3P, 7.5kW, MPCB	5,410.00
	459	GV2ME21	17...23A, 3P, 9kW, MPCB	5,410.00
	460	GV2ME22	20...25A, 3P, 11kW, MPCB	5,410.00
	461	GV2ME32	24...32A, 3P, 15kW, MPCB	5,410.00


GV3	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	462	GV3P32	23...32A, 3P, 15kW, MPCB	18,680.00
	463	GV3P40	30...40A, 3P, 18.5kW, MPCB	18,680.00
	464	GV3P50	37...50A, 3P, 22kW, MPCB	18,680.00
	465	GV3P65	48...65A, 3P, 30kW, MPCB	18,680.00
	466	GV3ME80	56...80A, 3P, 37kW, MPCB	18,680.00

ACCESSORIES FOR MPCB - SERIES - GV2 & GV3

ACCESSOIREIS	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	467	GVAE11	1NO+1NC, Auxiliary Contact Block; Range: GV2/GV3	980.00
	468	GV1G09	Terminal Block; Range: GV2 & TeSys D	650.00
	469	GV2G245	Combi Busbar - 63A, 2 Tap-offs - 45mm Pitch; for GV2	600.00
	470	GV2G345	Combi Busbar - 63A, 3 Tap-offs - 45mm Pitch; for GV2	750.00
	471	GV2G445	Combi Busbar - 63A, 4 Tap-offs - 45mm Pitch; for GV2	900.00
	472	GV2AF3	Combination blocks between GV2 and Contactor LC1D09...D38	450.00
	473	GV2AF4	Combination blocks between GV2 mounted on LAD311 and Contactor LC1D09...D38	450.00
	474	LAD311	Mounting Adaptor plate For LC1D09...D38; for GV2	1,200.00

TeSys LE is a range of enclosed D.O.L motor starters and soft start starters up to 37 kW, that is simple to both use and install. These compact, ergonomically designed starters can be wall-mounted or installed for local control.

D.O.L STARTER FOR MOTOR SWITCHING & CONTROL

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	475	LE1M35Q705	0.25 kW, 3P, 0.54...0.8 A, 380 V AC, D.O.L Starter	5,500.00
	476	LE1M35Q706	0.37 kW, 3P, 0.8...1.2 A, 380 V AC, D.O.L Starter	5,500.00
	477	LE1M35Q707	0.55 kW, 3P, 1.2...1.8 A, 380 V AC, D.O.L Starter	5,500.00
	478	LE1M35Q708	0.75 kW, 3P, 1.8...2.6 A, 380 V AC, D.O.L Starter	5,500.00
	479	LE1M35Q710	1.5 kW, 3P, 2.6...3.7 A, 380 V AC, D.O.L Starter	5,500.00
	480	LE1M35Q712	2.2 kW, 3P, 3.7...5.5 A, 380 V AC, D.O.L Starter	5,500.00
	481	LE1M35Q714	3 kW, 3P, 5.5...8 A, 380 V AC, D.O.L Starter	5,500.00
	482	LE1M35Q716	4 kW, 3P, 8...11.5 A, 380 V AC, D.O.L Starter	5,500.00
	483	LE1M35Q721	5.5 kW, 3P, 10...14 A, 380 V AC, D.O.L Starter	6,000.00
	484	LE1M35Q722	7.5 kW, 3P, 12...16 A, 380 V AC, D.O.L Starter	6,500.00







Power supplies - Phaseo ABL7, ABL8

Single phase and 3-Phase power supplies, 100 V to 500 V - 7 W to 960 W

Transformers - Phaseo ABT7, ABL6

230 V to 400 V - 25 VA to 2500 VA

POWER SUPPLY & VOLTAGE TRANSFORMER

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	485	ABL8MEM24012	24V DC, 1.2 A, Power Supply; Input: 100...240 V AC (L-L & L-N) or 120...250 V DC	5,000.00
	486	ABL8REM24030	24V DC, 3 A, Power Supply; Input: 100...240 V AC (L-L & L-N) or 110...220 V DC	7,500.00
	487	ABL8REM24050	24V DC, 5 A, Power Supply; Input: 100...240 V AC (L-L & L-N) or 110...220 V DC	9,000.00
	488	ABL8RPS24100	24V DC, 10 A, Power Supply; Input: 200...500 V AC (L-L) & 100...120 V AC (L-N)	19,000.00
IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	489	ABL6TS40G	115 V AC, 400 VA, Voltage transformer; Input: 230..400 V AC	15,000.00
	490	ABL6TS40B	24 V AC, 400 VA, Voltage transformer; Input: 230..400 V AC	15,000.00

EasyCan

LV power factor correction capacitors with exceptional reliability, extended life and high over-current capacity for handling slightly harmonic-polluted networks

VarPlus Can

LV aluminium can capacitors, LV aluminium can capacitors for long life and low losses

CAPACITOR STANDARD DUTY CAN - SERIES EASYCAN

S - DUTY	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	491	BLRCS143A172B44	Standard Duty-Capacitor Can, 14.3/17.2 Kvar @ 440V AC; 12.5 kvar @ 415 V AC	3,000.00
	492	BLRCS285A342B44	Standard Duty-Capacitor Can, 28.5/34.2 Kvar @ 440V AC; 25 kvar @ 415 V AC	3,500.00

CAPACITOR HEAVY DUTY CAN - SERIES VARPLUS

H - DUTY	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	493	BLRCH170A204B48	Heavy Duty-Capacitor Can, 17/20.4 kvar @ 480V AC; 12.5 kvar @ 415 V AC	10,500.00
	494	BLRCH339A407B48	Heavy Duty-Capacitor Can, 33.9/40.7 kvar @ 480V AC; 25 kvar @ 415 V AC	15,000.00

ANTI HARMONIC DETUNED REACTOR (7% & 14%)

7% DETUNED



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
495	LVR07125A40T	7% Anti Harmonic detuned reactor 12.5 kvar 190Hz, 50Hz, 400 V AC	36,000.00
496	LVR07250A40T	7% Anti Harmonic detuned reactor 25 kvar 190Hz, 50Hz, 400 V AC	42,500.00
497	LVR07500A40T	7% Anti Harmonic detuned reactor 50 kvar 190Hz, 50Hz, 400 V AC	55,000.00

14% DETUNED



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
498	LVR14125A40T	14% Anti Harmonic detuned reactor 12.5 kvar 135Hz, 50Hz, 400 V AC	56,000.00
499	LVR14250A40T	14% Anti Harmonic detuned reactor 25 kvar 135Hz, 50Hz, 400 V AC	63,000.00
500	LVR14500A40T	14% Anti Harmonic detuned reactor 50 kvar 135Hz, 50Hz, 400 V AC	82,000.00

TeSys D
Capacitor duty contactor
TH conforming to IEC 60068-2-30, Green Premium product

CAPACITOR SWITCHING CONTACTOR - SERIES TESYS

LC-1



SL	PART NUMBER	ITEM DESCRIPTION	PRICE
501	LC1DFK11M7	12.5KVAR @ 400...440V AC, Control supply voltage 220...230V AC, 1NO+ 1NC	12,500.00
502	LC1DMK11M7	25KVAR @ 400...440V AC, Control supply voltage 220...230V AC, 1NO+ 1NC	20,000.00
503	LC1DWK12M7	60KVAR @ 400...415V AC, Control supply voltage 220...230V AC, 1NO+ 2NC	23,000.00

VarPlus Logic
Intelligent power factor correction controllers
VarPlus Logic has all what you need for the simple and efficient operation of your automatic power factor correction equipment to maintain your power factor. It is a simple and intelligent relay which measures, monitors and controls the reactive energy.

CAPACITOR CONTROLLER - SERIES VPL

VPL







SL	PART NUMBER	ITEM DESCRIPTION	PRICE
504	VPL06N	VPL06, 6 step LCD display 90V - 550 V AC, 50/60Hz, with RS485, APFC Controller	35,000.00
505	VPL12N	VPL12, 12 step LCD display 90V - 550 V AC, 50/60Hz, with RS485, APFC Controller	40,000.00

Acti 9 iPRD

Surge Protection Devices Type 2 or 3, from 8 kA to 65 kA

Modular surge arresters Type 2 with withdrawable cartridges, from 8 kA to 65 kA, recommended for incoming and secondary protection, compliant with IEC/EN 61643-11:2011








SURGE PROTECTION DEVICE (SPD)

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	506	A9L40501	40KA, 1P+N, 1.6KV, Type-2, Surge Arrester With Pluggable Cartridge (SPD)	10,500.00
	507	A9L40601	40KA, 3P+N, 1.4KV, Type-2, Surge Arrester With Pluggable Cartridge (SPD)	16,000.00
	508	A9L65601	65KA, 3P+N, 1.5KV, Type-2, Surge Arrester With Pluggable Cartridge (SPD)	18,000.00
	509	16363	100KA, 3P+N, 1.5KV, Type-1, Surge Arrester With Pluggable Cartridge (SPD)	90,000.00

Gain energy insight and control with PowerLogic™ systems

- Improve T&D network reliability
- Enhance substation automation
- Maximize the use of your existing infrastructure






ENERGY SERVER FOR ENERGY MONITORING SOLUTION

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	510	EGX300	EGX300 : SEMS - Ethernet gateway with embeded server for configuration.	150,000.00
	511	EBX510	Com'X510-energy server-UL-SD RAM 4 Go	120,000.00
	512	EBXA-USB-WIFI	WiFi transmitter for Com'X 200/210/510	10,500.00
	513	EBXA-USB-C2M	Extension cable for communication module for Com'X 200/210/510 - 2m	2,600.00
	514	EBXA-GPRS-SIM	GPRS transmitter with SIM card for Com'X 200/210/510, GSM modem, USB interface	16,000.00
	515	EBXA-USB-ZIGBEE	Zigbee receiver for Com'X 200/210/510, Transmission rate:12 Mbps	15,600.00
	516	EBXA-ANT-5M	Com'X - External GPRS antenna	10,500.00


Gain energy insight and control with PowerLogic™ systems

• Improve T&D network reliability • Enhance substation automation • Maximize the use of your existing infrastructure

ADVANCE ENERGY METER

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	517	METSEPM8244	Advance WAGES & Power monitoring with True RMS Measurement of A, V, F & power factor, up to 63rd harmonic, 256 samples/cycle, Output - 1 Digital (Pulse); Accuracy Class-0.2S (Remote display)	150,000.00
	518	METSEPM8240	Advance WAGES & Power monitoring with True RMS Measurement of A, V, F & power factor, up to 63rd harmonic, 256 samples/cycle, Output - 1 Digital (Pulse); Accuracy Class-0.2S (Integrated display)	130,000.00
	519	METSEPM5563RD	Advance WAGES & Power monitoring with True RMS Measurement of A, V, F & power factor, up to 63rd harmonic, 128 samples/cycle, Output - 2 Digital; Accuracy Class-0.2S (Remote display)	70,000.00
	520	METSEPM5560	Advance WAGES & Power monitoring with True RMS Measurement of A, V, F & power factor, up to 63rd harmonic, 128 samples/cycle, Output - 4 Digital, Accuracy Class-0.2S (Integrated display)	60,000.00
	521	METSEPM5330	Power Meter with True RMS Measurement of A, V, F & power factor, up to 31st harmonic, 64 samples/cycle, Output - 2 Digital, 2 Relay; Accuracy Class-0.5S (Integrated display)	30,000.00






BASIC AMMETER, VOLTMETER & ENERGY METER

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	522	METSEDM1110	1-phase ampere meter, Accuracy Class - 0.5, LED display	2,000.00
	523	METSEDM1210	1-phase voltage meter, Accuracy Class - 0.5, LED display	2,000.00
	524	METSEDM1310	Digital frequency meter, Accuracy Class - 0.2, LED display	1,800.00
	525	METSEDM3110	3-phase ampere meter, Accuracy Class - 0.5, LED display	4,000.00
	526	METSEDM3210	3-phase voltage meter, Accuracy Class - 0.5, LED display	4,000.00
	527	METSEDM6200	3-phase ampere & voltage meter, Accuracy Class - 1, LED display (With RS-485 port)	12,000.00
	528	METSEPM2130	3-Phase Energy Meter, Accuracy Class - 0.5, LED display (With RS-485 port) - Sub-billing with data recording.	16,000.00
	529	METSEPM2230	3-Phase Energy Meter, Accuracy Class - 0.5, LED display (With RS-485 port) - Sub-billing with data recording, protected by access code.	16,000.00
	530	EM6436	3-phase Dual Source Energy Meters, Accuracy Class - 0.5S, LED display (for generator usage).	20,000.00

Protection Relays by Application

Covering all applications in medium-voltage and high-voltage protection, from overcurrent or motor to complex distance protection, our protective relays give you the safety and reliability needed to operate with confidence. Add IEC 61850 Ethernet for best-in-class interoperability and communication in MV and HV power networks.

HT PROTECTION RELAY - IDMT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	531	Sepam 20	Basic IDMT Relay, France/Spain. 30-Annunciation; 46-Negative sequence unbalance; 50/51-Phase overcurrent; 50/51CL CLPU (Cold Load Pick-Up); 50N/51N Ground fault ; 50G/51G Sensitive ground fault; 50BF Breaker failure; 68Z Zone selective interlock (ZSI); 68L Logic Discrimination; 79 Recloser (4 Cycle); 86 CB Tripping & Lockout; (4/69 CB Control Logic	90,000.00
	532	Vamp V11	Vamp V11 Model A: 4 voltage inputs with frequency protection, 8 binary output, 6 binary inputs, rear RS485, front USB port with USBpowered configuration, communication protocol switchable between IEC 60870-5-103 or Modbus.	100,000.00
	533	MiCOM P127 Advance Directional IDMT	MiCOM P127 directional relay ranges up to the multifunction three phase and earth fault, complete of voltage and frequency protection. 27/59, 32, 32N/67W, 37, 46, 46BC, 47, 49, 50N/51N, 50/51, 50BF, 51V, 59N, 64, 67N, 67P, 67W/32N, 79, 81O/U, 81R, 86. With Communication	330,000.00
	534	MiCOM P122 Non-Directional Advance IDMT	MiCOM P122 non-directional relay ranges up to the multifunction three phase and earth fault, complete of voltage and frequency protection. 37, 46, 46BC, 49, 50N/51N, 50/51, 50BF, 64, 86	210,000.00
	535	V265-1D7EDE 1A CT Current Transformer Differential Protection Relay	Complete differential protection for transformers and motors. High stability against through faults. 2nd and 5th harmonic blocking. Inbuilt Ethernet interface with Native IEC61850 communication. Numerical CT ratio correction. Event handling and fault registration, up to 2000 Disturbance recorder. Dual slope bias characteristic with fast operating time. High stability during through faults. Two differential overcurrent stages: Overcurrent stage and Earth fault overcurrent stage.	340,000.00
	536	V265-5D7EDE 5A CT Current Transformer Differential Protection Relay		340,000.00

Evolis
 MV Vacuum Circuit Breaker up to 24 kV
 MV vacuum circuit-breaker for fixed or withdrawable in cradle applications

VCB - SERIES- EVOLIS 25KA, 12KV






IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	537	630A EVOLIS 12KV VCB (FIXED TYPE)	Evolis VCB Fixed type 630A 25KA 12KV, Evolis fixed frontal 7.2/12kV 25kA 145mm , MX1 trip coil 100-130Vdc, standard LV plug (18 wires), 630-1250A contact : 1AC PF ready to close , MCH motor 200-240V, XF close coil 100-130Vdc, 50-60Hz	550,000.00
	538	1250A EVOLIS 12KV VCB (FIXED TYPE)	Evolis VCB Fixed type 1250A 25KA 12KV, Evolis fixed frontal 7.2/12kV 25kA 145mm, basic Evolis 12/25/1250/145, OPERATING SEQUENCE 0-3mn-CO-3mn-CO, MX1 trip coil 100-130Vdc, standard LV plug (18 wires) 630-1250A, contact : 1AC PF ready to close, MCH motor 200-240V, XF close coil 100-130Vdc, 50-60Hz	570,000.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	539	630A EVOLIS 12KV VCB (DRAWOUT TYPE)	Evolis VCB Drawout type 630A 25KA 12KV, Evolis withd. frontal 7.2/12kV 25kA 145mm, MX1 trip coil 100-130Vdc, standard LV plug (18 wires) contact : 1AC PF ready to close operating shaft, cradle 145mm without bushings 1 full Set(6) bushing 630-1250A, MCH motor 200-240V, XF close coil 100-130Vdc, 50-60Hz	POR
	540	1250A EVOLIS 12KV VCB (DRAWOUT TYPE)	Evolis VCB Drawout Type 1250A 25KA 12KV, Evolis withd. frontal 7.2/12kV 25kA 145mm, D/O Evolis 12/25/1250/145, OPERATING SEQUENCE 0-3mn-CO-3mn-CO, MX1 trip coil 100-130Vdc, standard LV plug (18 wires), contact : 1AC PF ready to close operating shaft, cradle 145mm without bushings, 1 full bushing 630-1250A, MCH motor 200-240V, XF close coil 100-130Vdc, 50-60Hz	POR

PIX - Air insulated switchboard up to 24 kV
 PiX range is an indoor switchgear assembly that provides maximum user safety, simplicity and reliability during installation, operation and maintenance. It meets all electrical distribution needs up to 24 kV and incorporates a set of innovative solutions

COMPLETE 12KV VCB PANEL - SERIES- PIX 12


IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	541	PIX12 with P127 Directional IDMT Relay	Schneider Electric Type Tested AIS 12KV Panel with D/O 800A, 31.5KA HVX VCB with P127 and PM5563 Protection Relay and metering . All Component France/EU Made and Panel Assemble by Schneider Electric India Factory.	2,400,000.00

PCOB 36

Outdoor Live Tank Vacuum Circuit Breakers 36 kV

The PCOB 36 is Porcelain Clad Outdoor Breaker, its simple design ensuring a high degree of reliability. It performs well in harsh ambient conditions and requires limited maintenance.

33KV OUTDOOR VCB PANEL - SERIES - PCOB36

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	542	PCOB36 33KV Outdoor VCB	PCOB 36 Outdoor Live Tank Vacuum Circuit Breakers 36 kV Ratings : 36 kV, 25 kA 3s, 1250A, Operating mechanism motor driven, Spring charged, O-C-O without recharging. Robust vacuum interrupters Comply with IEC/IS With All accessories and Structure for Outdoor.	1,650,000.00

Altivar 312

Variable speed drive for compact machines from 0.18 to 15kw

Designed for robustness and compatibility with the control system architectures of your machines

INVERTER/ VSD - SERIES - ATV312

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	543	ATV312H075M2	0.75 KW, 1P, 200...240 V AC, VSD/Inverter	26,790.00
	544	ATV312HU15M2	1.5 KW, 1P, 200...240 V AC, VSD/Inverter	31,440.00
	545	ATV312HU22M2	2.2 KW, 1P, 200...240 V AC, VSD/Inverter	34,360.00
	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	546	ATV312H075M3	0.75 KW, 3P, 200...240 V AC, VSD/Inverter	29,710.00
	547	ATV312HU11M3	1.1 KW, 3P, 200...240 V AC, VSD/Inverter	32,610.00
	548	ATV312HU15M3	1.5 KW, 3P, 200...240 V AC, VSD/Inverter	33,770.00
	549	ATV312HU22M3	2.2 KW, 3P, 200...240 V AC, VSD/Inverter	34,950.00
	550	ATV312HU40M3	4.0 KW, 3P, 200...240 V AC, VSD/Inverter	39,600.00
	551	ATV312HU55M3	5.5 KW, 3P, 200...240 V AC, VSD/Inverter	67,530.00
	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	552	ATV312H075N4	0.75 KW, 3P, 380...500 V AC, VSD/Inverter	29,120.00
	553	ATV312HU15N4	1.5 KW, 3P, 380...500 V AC, VSD/Inverter	33,200.00
	554	ATV312HU22N4	2.2 KW, 3P, 380...500 V AC, VSD/Inverter	37,850.00
	555	ATV312HU40N4	4.0 KW, 3P, 380...500 V AC, VSD/Inverter	40,760.00
556	ATV312HU55N4	5.5 KW, 3P, 380...500 V AC, VSD/Inverter	69,870.00	
557	ATV312HU75N4	7.5 KW, 3P, 380...500 V AC, VSD/Inverter	75,690.00	
558	ATV312HD11N4	11 KW, 3P, 380...500 V AC, VSD/Inverter	103,620.00	
559	ATV312HD15N4	15 KW, 3P, 380...500 V AC, VSD/Inverter	114,100.00	

Altivar 320

Smart variable speed drive from 0.18 to 15kW (0.25 to 20Hp). Altivar Machine ATV320, a variable speed drive designed for Original Equipment Manufacturers (OEMs) that meets simple and advanced application requirements for 3-phase synchronous and asynchronous motors.

INVERTER/ VSD - SERIES - ATV320



IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	560	ATV320U06N4C	0.55 KW, 3P, 380...500 V AC, VSD/Inverter	26,000.00
	561	ATV320U07N4C	0.75 KW, 3P, 380...500 V AC, VSD/Inverter	28,000.00
	562	ATV320U11N4C	1.1 KW, 3P, 380...500 V AC, VSD/Inverter	30,000.00
	563	ATV320U15N4C	1.5 KW, 3P, 380...500 V AC, VSD/Inverter	33,000.00
	564	ATV320U22N4C	2.2 KW, 3P, 380...500 V AC, VSD/Inverter	36,000.00
	565	ATV320U40N4B	4 KW, 3P, 380...500 V AC, VSD/Inverter	42,000.00
	566	ATV320U55N4B	5.5 KW, 3P, 380...500 V AC, VSD/Inverter	63,000.00
	567	ATV320U75N4B	7.5 KW, 3P, 380...500 V AC, VSD/Inverter	70,000.00
	568	ATV320U11N4B	11 KW, 3P, 380...500 V AC, VSD/Inverter	95,000.00
	569	ATV320U15N4B	15 KW, 3P, 380...500 V AC, VSD/Inverter	105,000.00

Altivar 630

Variable Speed Drives for pumps, fans or compressors up to 1200kW. Altivar Process ATV600 Drives has embedded services, connectivity and application functions dedicated to fluid management and is suitable for applications such as pumps, fans, and compressors in the Process Industry. Ideal for segments including Water & Wastewater, Marine or Buildings.

INVERTER/ VSD - SERIES - ATV630






IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	570	ATV630D18N4	18.5 KW, 3P, 380...500 V AC, VSD/Inverter	143,000.00
	571	ATV630D22N4	22 KW, 3P, 380...500 V AC, VSD/Inverter	151,000.00
	572	ATV630D30N4	30 KW, 3P, 380...500 V AC, VSD/Inverter	180,000.00
	573	ATV630D37N4	37 KW, 3P, 380...500 V AC, VSD/Inverter	200,000.00
	574	ATV630D45N4	45 KW, 3P, 380...500 V AC, VSD/Inverter	260,000.00
	575	ATV630D55N4	55 KW, 3P, 380...500 V AC, VSD/Inverter	300,000.00
	576	ATV630D75N4	75 KW, 3P, 380...500 V AC, VSD/Inverter	380,000.00
	577	ATV630D90N4	90 KW, 3P, 380...500 V AC, VSD/Inverter	460,000.00
	578	ATV630C11N4	110 KW, 3P, 380...500 V AC, VSD/Inverter	560,000.00
	579	ATV630C13N4	132 KW, 3P, 380...500 V AC, VSD/Inverter	600,000.00
	580	ATV630C16N4	160 KW, 3P, 380...500 V AC, VSD/Inverter	700,000.00
	581	ATV630C22N4	220 KW, 3P, 380...500 V AC, VSD/Inverter	1,000,000.00
	582	ATV630C25N4	250 KW, 3P, 380...500 V AC, VSD/Inverter	1,250,000.00
	583	ATV630C31N4	315 KW, 3P, 380...500 V AC, VSD/Inverter	1,600,000.00

Altivar 71

Drives for heavy duty industry from 0.37 to 630 KW

INVERTER/ VSD - SERIES - ATV71


IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE	
	584	ATV71H075N4	0.75 KW, 3P, 380...480 V AC, VSD/Inverter	68,000.00	
	585	ATV71HU15N4	1.5 KW, 3P, 380...480 V AC, VSD/Inverter	70,000.00	
	586	ATV71HU22N4	2.2 KW, 3P, 380...480 V AC, VSD/Inverter	70,000.00	
	587	ATV71HU30N4	3 KW, 3P, 380...480 V AC, VSD/Inverter	73,000.00	
	588	ATV71HU40N4	4 KW, 3P, 380...480 V AC, VSD/Inverter	78,000.00	
	589	ATV71HU55N4	5.5 KW, 3P, 380...480 V AC, VSD/Inverter	93,000.00	
	590	ATV71HU75N4	7.5 KW, 3P, 380...480 V AC, VSD/Inverter	105,000.00	
	591	ATV71HD11N4	11 KW, 3P, 380...480 V AC, VSD/Inverter	132,000.00	
	592	ATV71HD15N4	15 KW, 3P, 380...480 V AC, VSD/Inverter	148,500.00	
		593	ATV71HD18N4	18.5 KW, 3P, 380...480 V AC, VSD/Inverter	175,000.00
594		ATV71HD22N4	22 KW, 3P, 380...480 V AC, VSD/Inverter	196,000.00	
595		ATV71HD30N4	30 KW, 3P, 380...480 V AC, VSD/Inverter	238,000.00	
596		ATV71HD37N4	37 KW, 3P, 380...480 V AC, VSD/Inverter	252,000.00	
597		ATV71HD45N4	45 KW, 3P, 380...480 V AC, VSD/Inverter	360,000.00	
598		ATV71HD55N4	55 KW, 3P, 380...480 V AC, VSD/Inverter	391,000.00	
599		ATV71HD75N4	75 KW, 3P, 380...480 V AC, VSD/Inverter	490,000.00	
600		ATV71HD90N4	90 KW, 3P, 380...480 V AC, VSD/Inverter	586,000.00	
		601	ATV71HC11N4	110 KW, 3P, 380...480 V AC, VSD/Inverter	685,000.00
		602	ATV71HC13N4	132 KW, 3P, 380...480 V AC, VSD/Inverter	865,000.00
	603	ATV71HC16N4	160 KW, 3P, 380...480 V AC, VSD/Inverter	1,020,000.00	
	604	ATV71HC20N4	200 KW, 3P, 380...480 V AC, VSD/Inverter	1,210,000.00	
	605	ATV71HC28N4	280 KW, 3P, 380...480 V AC, VSD/Inverter	1,720,000.00	
	606	ATV71HC31N4	315 KW, 3P, 380...480 V AC, VSD/Inverter	2,260,000.00	
	607	ATV71HC40N4	355 KW, 3P, 380...480 V AC, VSD/Inverter	2,490,000.00	
	608	ATV71HC50N4	500 KW, 3P, 380...480 V AC, VSD/Inverter	3,410,000.00	

Altistart 48

Soft starters for heavy duty industry & pump from 4 to 900 kW

High performance soft start/ soft stop for your heavy duty machines and pumps with the unique Torque Control System (TCS) for controlled starting and deceleration

SOFT STARTER - SERIES - ATS48

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	609	ATS48D17Q	7.5kW, 3P, 17A, 415V AC, Soft Starter (Heavy Duty)	55,990.00
	610	ATS48D22Q	11kW, 3P, 22A, 415V AC, Soft Starter (Heavy Duty)	59,100.00
	611	ATS48D32Q	15kW, 3P, 32A, 415V AC, Soft Starter (Heavy Duty)	65,320.00
	612	ATS48D38Q	18.5kW, 3P, 38A, 415V AC, Soft Starter (Heavy Duty)	71,540.00
	613	ATS48D47Q	22kW, 3P, 47A, 415V AC, Soft Starter (Heavy Duty)	80,870.00
	614	ATS48D62Q	30kW, 3P, 62A, 415V AC, Soft Starter (Heavy Duty)	90,200.00
	615	ATS48D75Q	37kW, 3P, 75A, 415V AC, Soft Starter (Heavy Duty)	102,640.00
	616	ATS48D88Q	45kW, 3P, 88A, 415V AC, Soft Starter (Heavy Duty)	118,190.00
	617	ATS48C11Q	55kW, 3P, 110A, 415V AC, Soft Starter (Heavy Duty)	136,850.00
	618	ATS48C14Q	75kW, 3P, 140A, 415V AC, Soft Starter (Heavy Duty)	161,730.00
	619	ATS48C17Q	90kW, 3P, 170A, 415V AC, Soft Starter (Heavy Duty)	183,500.00
	620	ATS48C21Q	110kW, 3P, 210A, 415V AC, Soft Starter (Heavy Duty)	211,490.00
	621	ATS48C25Q	132kW, 3P, 250A, 415V AC, Soft Starter (Heavy Duty)	239,480.00
	622	ATS48C32Q	160kW, 3P, 320A, 415V AC, Soft Starter (Heavy Duty)	276,800.00
	623	ATS48C41Q	220kW, 3P, 410A, 415V AC, Soft Starter (Heavy Duty)	396,540.00
	624	ATS48C48Q	250kW, 3P, 480A, 415V AC, Soft Starter (Heavy Duty)	404,320.00
	625	ATS48C59Q	315kW, 3P, 590A, 415V AC, Soft Starter (Heavy Duty)	475,850.00
	626	ATS48C66Q	355kW, 3P, 660A, 415V AC, Soft Starter (Heavy Duty)	559,820.00
	627	ATS48C79Q	400kW, 3P, 790A, 415V AC, Soft Starter (Heavy Duty)	646,900.00
	628	ATS48M10Q	500kW, 3P, 1000A, 415V AC, Soft Starter (Heavy Duty)	POR
	629	ATS48M12Q	630kW, 3P, 1250A, 415V AC, Soft Starter (Heavy Duty)	POR

Prisma iPM - L

Optimized and tested solution for IEC 61439 compliant LV switchboards up to 630 A

Wall-mounted and floor-standing enclosures for electrical switchboards, integrating Schneider Electric offerings and ensuring electrical, mechanical and communication functions with complete consistency

TYPE TESTED WALL MOUNT PANEL - SERIES - PRISMA-L- IP54








IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	630	8M-Prisma-L	IEC61439-1, iPM Prisma-L, Type tested panel, IP54; Dimension: H x W x D - 500 x 600 x 235 mm; Glass door including dead front, Earth + Neutral bar, 2 x 24 Modular DIN rail.	60,000.00
	631	12M-Prisma-L	IEC61439-1, iPM Prisma-L, Type tested panel, IP54; Dimension: H x W x D - 700 x 600 x 235 mm; Glass door including dead front, Earth + Neutral bar, 3 x 24 Modular DIN rail.	75,000.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	632	16M-Prisma-L	IEC61439-1, iPM Prisma-L, Type tested panel, IP54; Dimension: H x W x D - 900 x 600 x 235 mm; Glass door including dead front, Earth + Neutral bar, 4 x 24 Modular DIN rail.	85,000.00
	633	16M/DUCT-Prisma-L	IEC61439-1, iPM Prisma-L, Type tested panel, IP54; Dimension: H x W x D - 900 x (600+300) x 235 mm; Glass door including dead front, Earth + Neutral bar, 4 x 24 Modular DIN rail, 300mm Busbar chamber.	120,000.00
	634	20M-Prisma-L	IEC61439-1, iPM Prisma-L, Type tested panel, IP54; Dimension: H x W x D - 1100 x 600 x 235 mm; Glass door including dead front, Earth + Neutral bar, 5 x 24 Modular DIN rail.	100,000.00
	635	20M/DUCT-Prisma-L	IEC61439-1, iPM Prisma-L, Type tested panel, IP54; Dimension: H x W x D - 1100 x (600+300) x 235 mm; Glass door including dead front, Earth + Neutral bar, 5 x 24 Modular DIN rail, 300mm Busbar chamber.	140,000.00
	636	24M-Prisma-L	IEC61439-1, iPM Prisma-L, Type tested panel, IP54; Dimension: H x W x D - 1300 x 600 x 235 mm; Glass door including dead front, Earth + Neutral bar, 6 x 24 Modular DIN rail.	100,000.00
	637	24M/DUCT-Prisma-L	IEC61439-1, iPM Prisma-L, Type tested panel, IP54; Dimension: H x W x D - 1300 x (600+300) x 235 mm; Glass door including dead front, Earth + Neutral bar, 6 x 24 Modular DIN rail, 300mm Busbar chamber.	150,000.00

Spacial S3D

Steel wall-mounting enclosures, Degree of protection: IP 66 for all single door enclosures, Certifications : EN 62208 (LCIE), UL, CUL, BV, DNV, LR, GL, ATEX (modified enclosure). Ruggedness : IK 10 for plain door and IK08 for glazed door.

TYPE TESTED PANEL - SERIES - SPACIAL S3D- IP66





IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	638	NSYS3D12640P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 1200 x 600 x 400 mm	49,000.00
	639	NSYS3D10840P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 1000 x 800 x 400 mm	40,000.00
	640	NSYS3D10830P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 1000 x 800 x 300 mm	33,500.00
	641	NSYS3D10625P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 1000 x 600 x 250 mm	28,000.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	642	NSYS3D8630P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 800 x 600 x 300 mm	28,000.00
	643	NSYS3D8625P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 800 x 600 x 250 mm	25,000.00
	644	NSYS3D7525P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 700 x 500 x 250 mm	20,000.00
	645	NSYS3D6625P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 600 x 600 x 250 mm	19,000.00
	646	NSYS3D5425P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 500 x 400 x 250 mm	14,500.00
	647	NSYS3D5320P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 500 x 300 x 200 mm	11,500.00
	648	NSYS3D4625P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 400 x 600 x 250 mm	18,000.00
	649	NSYS3D4315P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 400 x 300 x 150 mm	10,000.00
	650	NSYS3D3320P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 300 x 300 x 200 mm	10,500.00
	651	NSYS3D3315P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 300 x 300 x 150 mm	10,000.00
	652	NSYS3D3215P	IEC 62208, Spacial S3D, Type tested panel, Plain door with mount.plate, IP66; Dimension: H x W x D - 300 x 200 x 150 mm	10,000.00
IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	653	NSYS3DM8615T	IEC 62208, Spacial S3D, Type tested panel, Transparent door without mount.plate, IP66; Dimension: H x W x D - 800 x 600 x 150 mm	29,000.00
	654	NSYS3DM7515T	IEC 62208, Spacial S3D, Type tested panel, Transparent door without mount.plate, IP66; Dimension: H x W x D - 700 x 500 x 150 mm	28,000.00
	655	NSYS3DM6615T	IEC 62208, Spacial S3D, Type tested panel, Transparent door without mount.plate, IP66; Dimension: H x W x D - 600 x 600 x 150 mm	24,500.00
	656	NSYS3DM6415T	IEC 62208, Spacial S3D, Type tested panel, Transparent door without mount.plate, IP66; Dimension: H x W x D - 600 x 400 x 150 mm	21,000.00
	657	NSYS3DM5415T	IEC 62208, Spacial S3D, Type tested panel, Transparent door without mount.plate, IP66; Dimension: H x W x D - 500 x 400 x 150 mm	22,000.00

SCHNEIDER CONTROL ACCESSORIES










IH, IHP, ITA – Schneider Electric

Digital and mechanical programmable time switches

IC– Twilight switches

IC twilight switches are used to manage and control lighting whenever and however you wish.






PROGRAMMABLE DIGITAL / TWILIGHT SWITCH - IC ASTRO

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	1	CCT15850	Programmable digital time switch, 1 - Channel, 230 V AC, 56 - Switching Operation, 24 hours + 7 days, 1 min - Interval duration, 6 years time and program saving, 6 years battery life.	18,000.00
	2	CCT15851	Programmable digital time switch, 1 - Channel, 230 V AC, 84 - Switching Operation, 24 hours + 7 days, 1 sec - Interval duration, 6 years time and program saving, 6 years battery life.	25,000.00
	3	CCT15852	Programmable digital time switch, 2 - Channel, 230 V AC, 56 - Switching Operation, 24 hours + 7 days, 1 min - Interval duration, 6 years time and program saving, 6 years battery life.	23,000.00
	4	CCT15853	Programmable digital time switch, 2 - Channel, 230 V AC, 84 - Switching Operation, 24 hours + 7 days, 1 sec - Interval duration, 6 years time and program saving, 6 years battery life.	25,000.00
	5	CCT15854	Programmable digital time switch, 1 - Channel, 230 V AC, 56 - Switching Operation, 24 hours + 7 days, 1 min - Interval duration, 10 years time and program saving, 10 years battery life.	18,500.00
	6	CCT15368	Acti 9, IC2000, twilight switch, 1 - Channel, 230 V AC, 6 VA, 2...2000 lux	25,000.00
	7	CCT15284	Acti 9, IC2000, twilight switch, 1 - Channel, 230 V AC, 6 VA, 2...2000 lux	22,600.00
	8	CCT15268	Wall-mounted photo cell for IC2000 twilight switch, 2 - conductor cables, 100m cable length.	17,500.00
	9	15281	Switchboard photo cell for IC2000 twilight switch, 1m cable length.	9,500.00

Acti 9 iCT – Modular contactors

Fully consistent with the entire Acti 9 range, our DIN rail contactors with electrical control help you control electrical circuits in industrial, residential and commercial buildings efficiently.

MODULAR CONTACTOR - SERIES - ACTI 9 ICT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	10	A9C15030	20A, 1P, 230V AC, iCT, Modular contactor, 1NO + 0NC	8,500.00
	11	A9C20732	25A, 2P, 230...240 V AC, iCT, Modular contactor, 2NO + 0NC	6,000.00
	12	A9C20833	25A, 3P, 220...240 V AC, iCT, Modular contactor, 3NO + 0NC	6,500.00
	13	A9C20834	25A, 4P, 220...240 V AC, iCT, Modular contactor, 4NO + 0NC	6,500.00
	14	A9C20843	40A, 3P, 220...240 V AC, iCT, Modular contactor, 3NO + 0NC	9,300.00
	15	A9C20863	63A, 3P, 220...240 V AC, iCT, Modular contactor, 3NO + 0NC	12,000.00

Acti 9 iTL – Impulse relays & Auxiliary

The Acti 9 iTL wide range of DIN rail impulse relays & auxiliary provide you with a range of exclusive features and expertly combine electrical control with efficient lighting management.

IMPULSE RELAY- SERIES - ACTI 9 ITL

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	16	A9C30811	16A, 1P, 230...240 V AC, Impulse relay, 1NO + 0NC	3,500.00

CONTROL AUXILIARY - SERIES - ACTI 9 ITL

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	17	A9C15410	Multilevel centralized control auxiliary, 24...240 V AC	3,500.00

CONTACTOR CONTROL RELAY - SERIES - ACTI 9

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	18	CAD32BD	Control relay; 24V DC, 3NO + 2NC	3,600.00
	19	CAD32P7	Control relay; 230V AC, 3NO + 2NC	2,200.00

TIME DELAY AUXILIARY - SERIES - ACTI 9

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	20	A9C15419	Time delay auxiliary, 24...110 V DC, 24...240 V AC	11,000.00

ClimaSys - Thermal Control

Thermostats maintain the temperature inside the enclosure and send a signal when certain defined values are exceeded:

Maximum value (cooling action)

DISTRIBUTION BOARD COOLING SYSTEM - SERIES - CLIMASYS
















IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	21	NSYCCOTH0	Simple thermostat, 250V AC, range of temperature 0...60°C, 1NO	1,700.00
	22	NSYCCOTH0D	Double thermostat, 250V AC, range of temperature 0...60°C, 1NO + 1NC	2,300.00
	23	NSYCCOTH230VID	Electronics thermostat, 250 V AC, range of temperature 5...50°C, 1NO + 1NC	14,000.00
	24	NSYCVF575M230MF	Cooling fan, 575 m3/h, 230 V AC, 85W, 64dB, forced ventilation, with roof outlet grill + filter, IP-54	43,000.00
	25	NSYCVF560M230PF	Cooling fan, 560 m3/h, 230 V AC, 68W, 59db, forced ventilation, with outlet grill + filter, IP-54	22,000.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	26	NSYCVF300M230PF	Cooling fan, 300 m3/h, 230 V AC, 36W, 56dB, forced ventilation, with outlet grill + filter, IP54,	8,350.00
	27	NSYCVF165M230PF	Cooling fan, 165 m3/h, 230 V AC, 16.3W, 51dB, forced ventilation, with outlet grill + filter, IP54	6,500.00
	28	NSYCVF85M230PF	Cooling fan, 85 m3/h, 230 V AC, 17W, 49dB, forced ventilation, with outlet grill + filter, IP54	4,800.00
	29	NSYCAG291LPF	Outlet grill + filter, cut-out 291 mm x 291 mm, IP54	3,300.00
	30	NSYCAG223LPF	Outlet grill + filter, cut-out 223 mm x 223 mm, IP54	2,100.00
	31	NSYCAG125LPF	Outlet grill + filter, cut-out 125 mm x 125 mm, IP54	1,700.00
	32	NSYCAG92LPF	Outlet grill + filter, cut-out 92 mm x 92 mm, IP54	1,300.00

Zelio Control Relays – Monitoring and Control Relays

Zelio Control Relays monitor and detect abnormal operating conditions about phases, current, voltage, frequency, speed, or temperature


PHASE CONTROL RELAY - SERIES - ZELIO CONTROL

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	33	RM22TG20	Multifunction phase control relay, 183...528 V AC, 2NO + 2NC; (Phase failure & phase sequence detection)	4,500.00
	34	RM22TR33	Multifunction phase control relay, 380...480 V AC, 2NO + 2NC; (Phase failure, phase sequence & Voltage detection)	7,500.00
	35	RM35TF30	Multifunction phase control relay, 194...528 V AC, 2NO + 2NC; (Phase failure, phase sequence, asymmetry & Voltage detection)	9,500.00

Zelio Time Timing Relays

Zelio Time are timing relays designed to time events in industrial automation systems by closing and opening contacts before, during, or after a set time period.


ON-DELAY TIMING RELAY - SERIES - ZELIO TIME

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	36	REXL2TMP7	On-delay timing relay, 0.1 s..100 h, 230 V AC, 2NO + 2NC	2,100.00
	37	REXL4TMP7	On-delay timing relay, 0.1 s..100 h, 230 V AC, 4NO + 4NC	2,200.00

Zelio Electromechanical Relays

Universal, miniature and power electromechanical relays (RXM, RPM, RUM)


MINIATURE PLUG IN RELAY - SERIES - RXM

3P	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	38	RXM2AB2BD	Miniature Plug-in relay, 2NO + 2NC, 24 V DC, 12 A with LED; (8-Pin)	700.00
	39	RXM2AB2P7	Miniature Plug-in relay, 2NO + 2NC, 230 V AC, 12 A with LED; (8-Pin)	700.00
	40	RXM3AB2BD	Miniature Plug-in relay, 3NO + 3NC, 24 V DC, 10 A with LED; (11-Pin)	700.00
	41	RXM3AB2P7	Miniature Plug-in relay, 3NO + 3NC, 230 V AC, 10 A with LED; (11-Pin)	700.00
	42	RXM4AB2BD	Miniature plug-in relay, 4NO + 4NC, 24 V DC, 6 A with LED; (14-Pin)	800.00
	43	RXM4AB2P7	Miniature plug-in relay, 4NO + 4NC, 230 V AC, 6 A with LED; (14-Pin)	800.00


RELAY BASE - SERIES - RXZ (FOR RXM/REXL RELAY)

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	44	RXZE2S108M	Simple Socket / separate terminal, 12A, Relay & Timer Base for RXM2/REXL2; (8-Pin)	3,415.00
	45	RXZE2S111M	Simple Socket / separate terminal, 10A, Relay Base for RXM3; (11-Pin)	3,415.00
	46	RXZE2S114M	Simple Socket / mixed terminal, 10A, Relay & Timer Base for RXM4/REXL4; (14-Pin)	4,865.00


UNIVERSAL PLUG IN RELAY - SERIES - RUM

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	47	RUMC22BD	Universal plug-in relay, 2NO + 2NC, 24 V DC, 10 A with LED; (8-Pin)	1,100.00
	48	RUMC22P7	Universal plug-in relay, 2NO + 2NC, 230 V AC, 10 A with LED; (8-Pin)	1,100.00
	49	RUMC32BD	Universal plug-in relay, 3NO + 3NC, 24 V DC, 10 A with LED; (11-Pin)	1,150.00
	50	RUMC32P7	Universal plug-in relay, 3NO + 3NC, 230 V AC, 10 A with LED; (11-Pin)	1,150.00

RELAY BASE - SERIES - RUZ (FOR RUM RELAY)

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	51	RUZSC2M	Simple Socket / separate terminations, 12A, Relay Base for RUMC2; (8-Pin)	500.00
	52	RUZSC3M	Simple Socket / separate terminations, 12A, Relay Base for RUMC3; (11-Pin)	550.00

POWER PLUG IN RELAY - SERIES - RPM




IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	53	RPM22BD	Power plug-in relay, 2NO + 2NC, 24 V DC, 15 A with LED; (8-Pin)	850.00
	54	RPM22P7	Power plug-in relay, 2NO + 2NC, 230 V AC, 15 A with LED; (8-Pin)	850.00
	55	RPM32BD	Power plug-in relay, 3NO + 3NC, 24 V DC, 15 A with LED; (11-Pin)	950.00
	56	RPM32P7	Power plug-in relay, 3NO + 3NC, 230 V AC, 15 A with LED; (11-Pin)	950.00
	57	RPM42BD	Power plug-in relay, 4NO + 4NC, 24 V DC, 15 A with LED; (14-Pin)	1,250.00
	58	RPM42P7	Power plug-in relay, 4NO + 4NC, 230 V AC, 15 A with LED; (14-Pin)	1,250.00

RELAY BASE - SERIES - RPZ (FOR RPM RELAY)

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	59	RPZF2	Simple Socket / mixed terminal, 16A, Relay Base for RPM2; (8-Pin)	450.00
	60	RPZF3	Simple Socket / mixed terminal, 16A, Relay Base for RPM3; (11-Pin)	450.00
	61	RPZF4	Simple Socket / mixed terminal, 16A, Relay Base for RPM4; (14-Pin)	600.00

TeSys DF, LS1/GK1
Fuse carriers from 0.5 A to 125 A

FUSE HOLDER & FUSE - SERIES DF 10

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	62	DF101V	Fuse holder, 1P, 32A - fuse size 10 x 38 mm with blown fuse indicator	800.00
	63	DF103V	Fuse holder, 3P, 32A - fuse size 10 x 38 mm with blown fuse indicator	1,600.00
	64	GG02	2 A, Fuse, 10x38mm, 1000 V DC	60.00
	65	GG04	4 A, Fuse, 10x38mm, 1000 V DC	60.00


Harmony XB5

The modular Harmony XB5 range of 22 mm plastic control and signaling units combines simplicity of installation, efficiency, flexibility, modern design and robustness to meet most industrial applications.

PILOT LIGHT, PUSH BUTTON & SELECTOR SWITCH - SERIES XB5

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	66	XB5AVM4	Red complete pilot light, Ø22, plain lens with integral LED, 230...240V AC	700.00
	67	XB5AVM5	Orange complete pilot light, Ø22, plain lens with integral LED, 230...240V AC	700.00
	68	XB5AVM6	Blue complete pilot light, Ø22, plain lens with integral LED, 230...240V AC	700.00
	69	XB5AVM3	Green complete pilot light, Ø22, plain lens with integral LED, 230...240V AC	700.00
	70	XB5AD33	3- Positions selector switch, 2 A, 240V AC	800.00
	71	XB5AA3311	Green flush complete pushbutton, Ø22, spring return, 1NO "I"	600.00
	72	XB5AA4322	Red flush complete pushbutton, Ø22, spring return, 1NC "O"	600.00
	73	XB5AA21	Black flush complete pushbutton, Ø22, spring return, 1NO unmarked	400.00
	74	XB5AA31	Green flush complete pushbutton, Ø22, spring return, 1NO unmarked	400.00
	75	XB5AA42	Red flush complete pushbutton, Ø22, spring return, 1NC unmarked	400.00
	76	XB5AA51	Yellow flush complete pushbutton, Ø22, spring return, 1NO unmarked	400.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	77	XB5AA61	Blue flush complete pushbutton, Ø22, spring return, 1NO unmarked	400.00
	78	XB4BW73731M5	Green flush/red projecting illuminated double headed pushbutton Ø22, spring return, 1NO+1NC, 240 V AC	3,000.00
	79	XB4BW73731B5	Green flush/red projecting illuminated double headed pushbutton Ø22, spring return, 1NO+1NC, 24 V DC	3,000.00
	80	XA2EVM4LC	Red complete pilot light, Ø22, with integral LED, 220V AC	230.00
	81	XA2EVM5LC	Yellow complete pilot light, Ø22, with integral LED, 220V AC	230.00
	82	XA2EVM6LC	Blue complete pilot light, Ø22, with integral LED, 220V AC	230.00
	83	XA2EVM3LC	Green complete pilot light, Ø22, with integral LED, 220V AC	230.00
	84	XA2EA3311	Green flush complete pushbutton, Ø22, spring return, 1NO "I"	330.00
	85	XA2EA4322	Red flush complete pushbutton, Ø22, spring return, 1NO "O"	330.00
	86	XA2ET42	Red Ø40 Emergency switching off pushbutton, Ø22 non trigger, push-pull, 1NC	990.00
	87	XA2ES542	Red Ø40 Emergency switching off pushbutton, Ø22 non trigger, turn- release, 1NC	500.00
	88	XA2EG03	Key selector switch, Ø22, 3 positions, stay put, 2NO	1,000.00
	89	XALK178E	Yellow Station, Red mushroom head Emergency pushbutton Ø40 turn to release, 1NO+1NC,	1,100.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	90	XB5AS8445	Red Ø40 Emergency stop, switching off Ø22 trigger latching turn release, 1NO+1NC	1,000.00

Lineryg TR terminals blocks
Spring type, screw type and push-in type help streamline all your electrical installations

TERMINAL BLOCK (2.5MM² - 35MM²)









IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	91	NSYTRV22	Passthrough terminal block - 2.5mm ² , 24A, 1x1 screw – Grey	50.00
	92	NSYTRV22BL	Passthrough terminal block - 2.5mm ² , 24A, 1x1 screw – Blue	50.00
	93	NSYTRV22AR	Passthrough terminal block - 2.5mm ² , 24A, 1x1 screw – Orange	50.00
	94	NSYTRV22RD	Passthrough terminal block - 2.5mm ² , 24A, 1x1 screw – Red	50.00
	95	NSYTRV22WH	Passthrough terminal block - 2.5mm ² , 24A, 1x1 screw – White	50.00
	96	NSYTRV22PE	Protective earth terminal block - 2.5mm ² , 1x1 screw – Green-Yellow	250.00
	97	NSYTRAL23	3 ways - plug-in bridge terminals - 2.5mm ²	50.00
	98	NSYTRAL210	10 ways - plug-in bridge terminals - 2.5mm ²	200.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	99	NSYTRV42	Passthrough terminal block - 4mm ² , 32A, 1x1 screw - Grey	60.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	100	NSYTRV42BL	Passthrough terminal block - 4mm ² , 32A, 1x1 screw - Blue	60.00
	101	NSYTRV42AR	Passthrough terminal block - 4mm ² , 32A, 1x1 screw - Orange	60.00
	102	NSYTRV42RD	Passthrough terminal block - 4mm ² , 32A, 1x1 screw - Red	60.00
	103	NSYTRV42WH	Passthrough terminal block - 4mm ² , 32A, 1x1 screw - White	60.00
	104	NSYTRV42GN	Passthrough terminal block - 4mm ² , 32A, 1x1 screw - Green	60.00
	105	NSYTRV42BK	Passthrough terminal block - 4mm ² , 32A, 1x1 screw - Black	60.00
	106	NSYTRV43PE	Protective earth terminal block - 4mm ² , 1x2 screw - Green-Yellow	450.00
	107	NSYTRV44PE	Protective earth terminal block - 4mm ² , 2x2 screw - Green-Yellow	500.00
IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	108	NSYTRV62	Passthrough terminal block - 6mm ² , 41A, 1x1 screw - Grey	100.00
	109	NSYTRV62BL	Passthrough terminal block - 6mm ² , 41A, 1x1 screw - Blue	100.00
	110	NSYTRV62TTD	Blade disconnect terminal block - 6mm ² , 30A, 1x1 screw - Grey	600.00
	111	NSYTRV62TTPE	Protective earth terminal block - 6mm ² , 1x1 screw - Green-Yellow	1,000.00





IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	112	NSYTRV102	Passthrough terminal block - 10mm ² , 57A, 1x1 screw - Grey	200.00
	113	NSYTRV102BL	Passthrough terminal block - 10mm ² , 57A, 1x1 screw - Blue	200.00
	114	NSYTRAC22	End cover for terminal block, 2.5 to 10 mm ² , 1x1 screw - Grey	30.00
	115	NSYTRAC22BI	End cover for terminal block, 2.5 to 10 mm ² , 1x1 screw - Blue	30.00








IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	116	NSYTRV162	Passthrough terminal block - 16mm ² , 76A, 1x1 screw - Grey	250.00
	117	NSYTRV162BL	Passthrough terminal block - 16mm ² , 76A, 1x1 screw - Blue	250.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	118	NSYTRV352	Passthrough terminal block - 35mm ² , 125A, 1x1 screw - Grey	700.00
	119	NSYTRV352BL	Passthrough terminal block - 35mm ² , 125A, 1x1 screw - Blue	700.00
	120	NSYTRAABV35	End stop with screw 9.5 mm for DIN rails 35mm - Grey	80.00







EARTH BRAIDS

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	121	NSYEB1516D8	Earthing braid, Cross section-16mm ² , length 155mm, diameter- 8.5mm. Packaging unit: 10.	400.00
	122	NSYEB2025D8	Earthing braid, Cross section-25mm ² , length 200mm, diameter- 6.5mm. Packaging unit: 10.	450.00









ARGUS - OCCUPANCY SENSORS

THE BEST OF SAFETY AND COMFORT

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	1	SAE_UE_MS_CSAWE	Single-Load 360°; PIR Occupancy Sensor; Surface Mount	6,000.00
	2	CSS54E_WE	Surface Mount Single-Load 360° Slim PIR Occupancy Sensor	6,500.00
	3	SAE_UE_MS_CSBWE	Surface Mount Single-Load 360° PIR Occupancy Sensor	8,000.00
	4	SAE_UE_MS_CDBWE	Flush Mount Dual-Load 360° PIR Occupancy Sensor	8,500.00
	5	SAE_UE_MS_CDAWE	Dual-Load 360°; PIR Occupancy Sensor; Surface Mount	9,000.00
	6	SAE_UE_MS_CDDWE	Dual-Load 360° PIR Occupancy Sensor with Auto Dimming	13,000.00



NEO - OCCUPANCY SENSORS

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	7	E3731MS2A_GS	Wall Mount 2-wire 90° PIR Occupancy Sensor	7,000.00
	8	E3731MS2C_GS	Wall Mount 2-wire 210° PIR Occupancy Sensor	7,500.00
	9	E84731MS2A_WE	Wall Mount 2-wire 90° PIR Occupancy Sensor	7,000.00
	10	E84731MS2B_WE	2-wire Single-Load 110°; PIR Occupancy Sensor; Flush Wall Mount	7,500.00
	11	SAE_UE_MS_CU1WE	Single-Load 180° Dual Technology Occupancy Sensor	17,000.00
	12	SAE_UE_MS_CUWE	Single-Load 360° Dual Technology Occupancy Sensor	21,500.00



NEO - GRAY SILVER

STANDALONE RESIDENTIAL LIGHTING CONTROL

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	13	E3031H1_EBGS	1-Gang, 1-Way; Horizontal Dolly Switch with Blue LED, Grey Silver	900.00
	14	E3032H1_EBGS	2-Gang, 1-Way; Horizontal Dolly Switch with Blue LED, Grey Silver	1,500.00
	15	E3033H1_EBGS	3-Gang, 1-Way; Horizontal Dolly Switch with Blue LED, Grey Silver	2,000.00
	16	E3034H1_EBGS	4-Gang, 1-Way; Horizontal Dolly Switch with Blue LED, Grey Silver	2,500.00
	17	E3031HD20_EBGS	1-Gang, 2-Pole; 20A Horizontal Dolly Double Pole Switch with Blue LED, Grey Silver	1,800.00
	18	E3032HD20_EBGS	2-Gang, 2-Pole; 20A Horizontal Dolly Double Pole Switch with Blue LED, Grey Silver	2,500.00
	19	E3031HD_EBGS	1-Gang; 600W Horizontal Light Dimming Switch with Blue LED, Grey Silver	8,000.00
	20	E8431SPF_GS	1-Gang, Full-Flat Fan Controller, Silver Satin	5,000.00
	21	E3031HBP_GS	4 A, Horizontal Bell Push Switch, Grey Silver	900.00
	22	E3030X_GS	1-Gang; Blank Plate, Grey Silver	550.00
	23	ET3030X_GS	2-Gang; Blank Plate, Grey Silver	800.00
	24	E3015US_GS	10A, 2-Pin Universal Switched Socket Outlet, Grey Silver	1,400.00
	25	E3015R_GS	13A, 3-Pin Flat Switched Socket Outlet, Grey Silver	1,100.00
	26	ET3025_GS	13A, Twin 3-Pin Flat Switched Socket Outlet with Blue LED, Grey Silver	2,100.00
	27	E3015-15_EBGS	15A, 3-Pin Round Switched Socket Outlet with Blue LED, Grey Silver	3,500.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	28	EH3015-16-6_GS	16A, 3-Pin Universal Switched Socket Outlet with Shutter, Grey Silver	2,100.00
	29	E3426-10IS_GS	10A, International Universal Switched Socket Outlet with Shutter, Grey Silver	1,800.00
	30	ET3015DR45_EBGS	45A, Double Pole Switch and 13A, Switched Socket Outlet with Neon, Grey Silver	5,000.00
	31	E3031RJ_GS	1-Gang, RJ11, 4-Pin Telephone Outlet, Grey Silver	950.00
	32	E3032RJ_GS	2-Gang, RJ11, 4-Pin Telephone Outlet, Grey Silver	1,500.00
	33	E3031RJ5E_GS	1-Gang, RJ45, 8-Pin Data Outlet, Grey Silver	1,100.00
	34	E3032RJ5E_GS	2-Gang, RJ45, 8-Pin Data Outlet, Grey Silver	2,500.00
	35	E3032TD_GS	Dual Telecommunication Outlets (Telephone RJ11 + Data RJ45), Grey Silver	1,700.00
	36	E3031TV_GS	1-Gang, TV Socket Outlet, Grey Silver	1,500.00



NEO - WHITE STANDALONE RESIDENTIAL LIGHTING CONTROL





IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	37	E3031H1_EWWW	1-Gang, 1-Way; Horizontal Dolly Switch with White LED, White	900.00
	38	E3032H1_EWWW	2-Gang, 1-Way; Horizontal Dolly Switch with White LED, White	1,500.00
	39	E3033H1_EWWW	3-Gang, 1-Way; Horizontal Dolly Switch with White LED, White	2,000.00
	40	E3034H1_FWWW	4-Gang, 1-Way; Horizontal Dolly Switch with White LED, White	2,500.00




















IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	41	E3031HD20_EWWW	1-Gang, 2-Pole; 20A Horizontal Dolly Double Pole Switch with White LED, White	1,800.00
	42	E3032HD20_EWWW	2-Gang, 2-Pole; 20A Horizontal Dolly Double Pole Switch with White LED, White	2,500.00
	43	E3031HD_EWWW	1-Gang; 600W Horizontal Dimming Switch with White LED, White	8,000.00
	44	E8431SPF_WW	1-Gang, Full-Flat Fan Controller, White	5,000.00
	45	E3031HBP_WW	4 A, Horizontal Bell Push Switch, White	900.00
	46	E3030X_WW	1-Gang; Blank Plate, White	550.00
	47	ET3030X_WW	2-Gang; Blank Plate, White	800.00
	48	E3015US_WW	10A, 2-Pin Universal Switched Socket Outlet, White	1,400.00
	49	E3015R_WW	13A, 3-Pin Flat Switched Socket Outlet, White	1,100.00
	50	ET3025D_EWWW	13A, Twin 3-Pin Flat Switched Socket Outlet with White LED, White	2,100.00
	51	E3015-15_EWWW	15A, 3-Pin Round Switched Socket Outlet with White LED, White	3,500.00
	52	EH3015-16-6_WW	16A, 3-Pin Universal Switched Socket Outlet with Shutter, White	2,100.00
	53	E3426-10IS_WW	10A, International Universal Switched Socket Outlet with Shutter, White	1,800.00
	54	ET3015DR45_EWWW	45A, Double Pole Switch and 13A, Switched Socket Outlet with Neon, White	5,000.00
	55	E3031RJ_WW	1-Gang, RJ11, 4-Pin Telephone Outlet, Grey White	950.00
	56	E3032RJ_WW	2-Gang, RJ11, 4-Pin Telephone Outlet, Grey White	1,500.00
	57	E3031RJ5E_WW	1-Gang, RJ45, 8-Pin Data Outlet, White	1,100.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	58	E3032RJ5E_WW	2-Gang, RJ45, 8-Pin Data Outlet, White	2,500.00
	59	E3032TD_WW	Dual Telecommunication Outlets (Telephone RJ11 + Data RJ45), White	1,700.00
	60	E3031TV_WW	1-Gang, TV Socket Outlet, White	1,500.00



ZENCELO - GRAY SILVER

THE REVOLUTIONARY FULL-FLAT SWITCH FOR OUTSTANDING PEOPLE










IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	61	E8431_1_SA	1-Gang, 1-Way; Horizontal Full-Flat Switch with Indicator, Silver Satin	700.00
	62	E8432_1_SA	2-Gang, 1-Way; Horizontal Full-Flat Switch with Indicator, Silver Satin	1,100.00
	63	E8433_1_SA	3-Gang, 1-Way; Horizontal Full-Flat Switch with Indicator, Silver Satin	1,400.00
	64	E8434_1_SA	4-Gang, 1-Way; Horizontal Full-Flat Switch with Indicator, Silver Satin	1,700.00
	65	E8431D20_SA	1-Gang, 2-Pole; 20A Horizontal Full-Flat Double Pole Switch with Neon, Silver Satin	1,200.00
	66	E8431EPD4_SA	1-Gang; 350VA Horizontal Full-Flat Universal Light Dimmer with LED, Silver Satin	8,700.00
	67	E8431SPF_SA	1-Gang, Full-Flat Fan Controller, Silver Satin	5,000.00
	68	E8431BP1_SA	10 A, Horizontal Full-Flat Bell push Switch, Silver Satin	700.00
	69	E8430X_SA	1-Gang; Blank Plate, Silver Satin	400.00
	70	E8415U_SA	10A, 2-Pin Universal Switched Socket Outlet with Indicator, Silver Satin	1,000.00











IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	71	E8415_SA	13A, 3-Pin Flat Switched Socket Outlet, Silver Satin	900.00
	72	E84T25_SA	13A, Twin 3-Pin Flat Switched Socket Outlet with Indicator, Silver Satin	2,100.00
	73	E8415_15_SA	15A, 3-Pin Round Switched Socket Outlet with Shutter and Indicator, Silver Satin	1,000.00
	74	E84426_16TS_SA	16A, International Universal Switched Socket Outlet with Shutter, Silver Satin	1,400.00
	75	E8431RJS_5_SA	1-Gang, RJ45, 8-Pin Data Outlet, Silver Satin	800.00
	76	E8431RJS4_SA	1-Gang, RJ11, 4-Pin Telephone Outlet, Silver Satin	700.00
	77	E8431TVM_SA	1-Gang, TV Socket Outlet, Silver Satin	1,100.00



ZENCELO - SILVER BRONZE

THE REVOLUTIONARY FULL-FLAT SWITCH FOR OUTSTANDING PEOPLE

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	78	E8431_1_SZ	1-Gang, 1-Way; Horizontal Full-Flat Switch with Indicator, Silver bronze	700.00
	79	E8432_1_SZ	2-Gang, 1-Way; Horizontal Full-Flat Switch with Indicator, Silver bronze	1,100.00
	80	E8433_1_SZ	3-Gang, 1-Way; Horizontal Full-Flat Switch with Indicator, Silver bronze	1,400.00
	81	E8434_1_SZ	4-Gang, 1-Way; Horizontal Full-Flat Switch with Indicator, Silver bronze	1,700.00
	82	E8431D20_SZ	1-Gang, 2-Pole; 20A Horizontal Full-Flat Double Pole Switch with Neon, Silver Bronze	1,200.00
	83	E8431EPD4_SZ	1-Gang; 350VA Horizontal Full-Flat Universal Light Dimmer with LED, Silver Bronze	8,700.00
	84	E8431SPF_SZ	1-Gang, Full-Flat Fan Controller, Silver Bronze	5,000.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	85	E8431BP1_SZ	10 A, Horizontal Full-Flat Bell push Switch, Silver Bronze	700.00
	86	E8430X_SZ	1-Gang; Blank Plate, Silver Bronze	400.00
	87	E8415U_SZ	10A, 2-Pin Universal Switched Socket Outlet with Indicator, Silver Bronze	1,000.00
	88	E8415_SZ	13A, 3-Pin Flat Switched Socket Outlet, Silver Bronze	900.00
	89	E84T25_SZ	13A, Twin 3-Pin Flat Switched Socket Outlet with Indicator, Silver Bronze	2,100.00
	90	E8415_15_SZ	15A, 3-Pin Round Switched Socket Outlet with Shutter and Indicator, Silver Bronze	1,000.00
	91	E84426_16TS_SZ	16A, International Universal Switched Socket Outlet with Shutter, Silver Bronze	1,400.00
	92	E8431RJS_5_SZ	1-Gang, RJ45, 8-Pin Data Outlet, Silver Bronze	800.00
	93	E8431RJS4_SZ	1-Gang, RJ11, 4-Pin Telephone Outlet, Silver Bronze	700.00
	94	E8431TVM_SZ	1-Gang, TV Socket Outlet, Silver Bronze	1,100.00



VIVACE - WHITE

A STYLE OF MODERN SIMPLICITY THAT IS ALWAYS WITHIN YOUR REACH
















IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	95	KB31_1	1-Gang, 1-Way; Vertical Switch, White	200.00
	96	KB32_1	2-Gang, 1-Way; Vertical Switch, White	340.00
	97	KB33_1	3-Gang, 1-Way; Vertical Switch, White	500.00
	98	KB31	1-Gang, 2-Way; Vertical Switch, White	300.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	99	KB32	2-Gang, 2-Way; Vertical Switch, White	440.00
	100	KB33	3-Gang, 2-Way; Vertical Switch, White	1,160.00
	101	KB31_IA	Vivance 10A 250V Intermediate Switch, white	950.00
	102	KB31D20NE	1-Gang, 2-Pole; 20A Vertical Double Pole Switch with Neon, White	850.00
	103	KB31RD400	1-Gang; 400W Dimming Switch, White	950.00
	104	KB31RF250	1-Gang, Fan Controller, White	950.00
	105	KB31BPB	10 A, Vertical Bell Push Switch, White	450.00
	106	KB30	1-Gang; Blank Plate, White	150.00
	107	KB31EKT	Electronic Key Card Switch, White	5,300.00
	108	KB31BD_C	"Do Not Disturb" and "Clean Up Room" with Bell Push Switch, White	1,700.00
	109	KB31BD	"Do Not Disturb" with Bell Push Switch, White	1,150.00

VIVACE - WHITE

A STYLE OF MODERN SIMPLICITY THAT IS ALWAYS WITHIN YOUR REACH





















IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	110	KB426US	10A, 2-Pin Universal Socket Outlet, White	550.00
	111	KB413S	13A, 3-Pin Universal Socket Outlet, White	570.00
	112	KB113LSN	13A, 3-Pin Switched Universal Socket Outlet with Neon, White	930.00

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	113	KB15N	13A, 3-Pin Flat Switched Socket Outlet with Neon, White	550.00
	114	KBT426	13A, Twin 3-Pin Flat Socket Outlet, White	900.00
	115	KB25L	13A, Twin 3-Pin Flat Switched Socket Outlet, White	1,650.00
	116	KB25LN	13A, Twin 3-Pin Flat Switched Socket Outlet with Neon, White	2,150.00
	117	KB15_15N	15A, 3-Pin Round Switched Socket Outlet with Neon, White	800.00
	118	KBT727V	2-Gang; 115/240V AC Shaver Socket-Outlet, White	5,800.00
	119	KB31RJ5E	1-Gang, RJ45, 8-Pin Data Outlet with Shutter, White	800.00
	120	KB32RJ6	2-Gang, RJ45, 8-Pin Data Outlet with Shutter, White	1,400.00
	121	KB31TS	1-Gang, RJ11, 4-Pin Telephone Outlet with Shutter, White	650.00
	122	E3032RJ_WW	2 Gang RJ11 4 Pin Telephone Outlet, White	1,400.00
	123	KB32TS_RJ5E	Dual Telecommunication Outlets (Telephone RJ11 + Data RJ45), White	2,200.00
	124	KB31TV	1-Gang, TV Socket Outlet, White	600.00





SCHNEIDER BUSBAR TRUNKING SYSTEM



BBT & ACCESSORIES-SERIES-CANALIS-KBA

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	1	KBA25ED4305W	25A, 3L+N+PE, Straight distribution length, Tap-off Outlet-5, length-3M	7,000.00
	2	KBA25ABG4W	25A Feed unit for KBA with End Cap	2,500.00
	3	KBA40ED4203W	40A, 3L+N+PE, Straight distribution length, Tap-off Outlet-3, length-2M	9,000.00
	4	KBA40ED4305W	40A, 3L+N+PE, Straight distribution length, Tap-off Outlet-5, length-3M	9,500.00
	5	KBA40ABG4W	40A Feed unit for KBA with End Cap	5,500.00
	6	KBA40ZFU	Universal fixing bracket for KBA 25A & 40A; Maximum load-60 kg	500.00

BBT & ACCESSORIES-SERIES-CANALIS-KBB

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	7	KBB25ED4303W	25A, 3L+N+PE, Straight distribution length, Tap-off Outlet-3, length-3M	11,000.00
	8	KBB40ED4202W	40A, 3L+N+PE, Straight distribution length, Tap-off Outlet-2, length-2M	10,000.00
	9	KBB40ABG4W	40A Feed unit for KBB with End Cap	4,500.00
	10	KBB40ZFU	Universal fixing bracket for KBB; Maximum load-60 kg	600.00

SCHNEIDER CANALIS BBT TAP-OFF UNIT & PLUG

IMAGE	SL	PART NUMBER	ITEM DESCRIPTION	PRICE
	11	KBC10DCB20	10A, L+N+PE, Tap-off plug, for both KBA & KBB	1,000.00
	12	KBC16DCF21	16A, L+N+PE, Tap-off plug with fuse, for both KBA & KBB	4,000.00
	13	KSB32CM55	32A, 3L+N+PE, 5-modules, Tap-off unit	11,500.00
	14	KSB63SM48	63A, 3L+N+PE, 8-modules, Tap-off unit	15,000.00
	15	KSB160DC4	160A, 3L+N+PE, Canalis KT busbar trunking with KS type plug-in with fixed polarity; Tap-off unit	65,000.00
	16	KSB250DC4	250A, 3L+N+PE, Canalis KT busbar trunking with KS type plug-in with fixed polarity; Tap-off unit	80,000.00
	17	KSB400DC4	400A, 3L+N+PE, Canalis KT busbar trunking with KS type plug-in with fixed polarity; Tap-off unit	120,000.00
	18	KTB0630DC4	630A, 3L+N+PE, Canalis KT busbar trunking with KS type plug-in auto-clamping system; Tap-off unit	340,000.00
	19	KTB0630DB4	630A, 3L+N+PE, Canalis KT busbar trunking with KS type plug-in Bolt-on; Tap-off unit	400,000.00
	20	KTB1000CB4	1000A, 3L+N+PE, Canalis KT busbar trunking with KS type plug-in Bolt-on; Tap-off unit	630,000.00
	21	KTB1250CB4	1250A, 3L+N+PE, Canalis KT busbar trunking with KS type plug-in Bolt-on; Tap-off unit	730,000.00